Telephone: 716-439-7200 Fax: 716-439-7205



NIAGARA COUNTY
DEPARTMENT OF MANAGEMENT & BUDGET
DIVISION OF PURCHASING
Philo J. Brooks County Office Building
First Floor - Park Avenue Entrance
59 Park Avenue
Lockport, New York 14094-2740

October 22, 2024

ADDENDUM# 1

Bid# 2024-39 Data Cabling II for Niagara County Information Technology

The following addendum shall apply to and become a part of this Formal Request for Proposals:

- 1. Item #2 on spreadsheet ... I think the quantity of 338 should be on Item #1 (jacks), not item #2 (cable length).
 - 1.A. That is correct.

Please note the following corrections to the "Quantity" column for Exhibit I: Sealed Bid Worksheet:

- a. Item# 1 The quantity should be 338.
- b. Item# 2 The quantity should be blank and is to be filled in by respondent.
- c. Item# 3 The quantity should be 30.
- d. Item# 4 The quantity should be blank and is to be filled in by the respondent.
- 2. The quantity referenced above (338) should be 368. Site 1 = 73, Site 2 = 111, TOTAL= 184. 184 x2=368.
 - 2.A. That is incorrect. Refer to page 19 and Exhibit I matches the quantity correctly.
 - a. 338 is the approximate number of total inserts for blue cable only.
 - b. 30 is the approximate number of total inserts for white cable only.
- 3. What are the addresses of the site(s)?
 - 3.A. Drawings will be available upon request. Please contact Jennifer Zimmerman, Confidential Secretary, via e-mail at Jennifer.Zimmerman@niagaracounty.com or via telephone at (716) 439-7043.

- 4. If the quantities in the RFP are approximate how will additions and subtractions to the scope be valued/handled (e.g., formal change order, quoted, T&M, etc)?
 - 4.A. It is not anticipated that there will be changes to the scope. Typically, the quantities of data cables are not reduced, however some minor quantity increases may occur. Pricing for quantity changes will be at the 2024-39 bid rate.
- 5. Page 17 On site hours are 7am to 5pm VS Page 19 1st and 2nd shift. Which is correct?
 - 5.A. On site hours are 7am to 5pm, however in the unlikely event department activities are interrupted, then the second shift may be required to complete a portion of the work.
- 6. Can you send us a copy of the Drawings?
 - 6.A. Drawings will be available upon request. Please contact Jennifer Zimmerman, Confidential Secretary, via e-mail at Jennifer.Zimmerman@niagaracounty.com or via telephone at (716) 439-7043.
- 7. On page 4 "Bid Responses", may be submitted in either electronic format on Bid Net or Hard copy format. Can you please confirm if we submit bid response via Bid Net, then it's not necessary to send hard copy and a flash drive?
 - 7.A. Please refer to the Notice section on page 4, "Bid responses". There are two options for bid submittals: either by electronic format or by hard copy format. Choose one submittal option: either electronic format or hard copy format. It is unnecessary to submit bid responses both electronically and by hard copy.

END OF ADDENDUM

Sincerely,

Jennifer Marotta, Purchasing Agent Niagara County

Bid # 2024-39A

ADDENDA

The fol	lowing is confirmation o	f all the addenda upon	which this bid pro	posal is based.
-	Addenda #	- Received	, 2024	Initialed by Rep.
-	Addenda #	- Received	_, 2024	Initialed by Rep.
By signing and submitting this bid for consideration by Niagara County the vendor acknowledges that they have read, understand and agree to all aspects of the specifications without reservation or alteration.				
•	ny Name:			
Bidder's Signature:				<u> </u>
Print Name and Position:				_
Phone:				
Fax Nu	ımber:	_		<u> </u>
E-Mail	Address:			<u> </u>
Federal	l Employer ID #:			<u> </u>

ALL OF THE ABOVE MUST BE COMPLETE OTHERWISE, BID WILL BE REJECTED.