






ABBREVIATIONS


@ = AT, THEREFORE  
A.L.T. = ALTERNATE  
ACC = ACCESSORY  
ACT = ACOUSTICAL CEILING TILE  
ADJ. = ADJACENT  
A.F.F. = ABOVE FINISH FLOOR  
ARCH. = ARCHITECT  
BLDG. = BUILDING  
BLKG. = BLOCKING  
B.O. = BOTTOM OF  
BRG. = BEARING  
B.S. = BOTH SIDES  
BSMT. = BASEMENT  
BYND = BEYOND  
C.F.C.I. = CONTRACTOR FURNISHED,  
CONTRACTOR INSTALLED  
CL. = CENTERLINE  
CLG. = CEILING  
COL. = COLUMN  
CONC. = CONCRETE  
CONN. = CONNECT(ION)  
CONT. = CONTINUOUS  
COORD. = COORDINATE  
CRT. = CARPET  
DBL. = DOUBLE  
DET. = DETAIL  
DIA. = DIAMETER  
DIM. = DIMENSION  
DP = DISPLAY PANEL  
DR. = DOOR  
DS = DOWNSPOUT  
DW = DISHWASHER  
EA. = EACH  
ELEC. = ELECTRICAL  
ELEV. = ELEVATION  
EQ. = EQUAL  
ESMT. = EASEMENT  
E.W. = EACH WAY  
(E) or EXST. = EXISTING  
EXT. = EXTERIOR  
FAB = FABRIC  
FC = FACE  
FD = FLOOR DRAIN  
FE = FIRE EXTINGUISHER CABINET  
FF = FLUSH FACE  
FND = FOUNDATION  
FN. = FINISH  
FLR. = FLOOR  
FOC = FACE OF CONCRETE  
FOF = FACE OF FRAMING  
FOM = FACE OF MASONRY  
FOS = FACE OF STRUCTURE  
FOS. = FACE OF STONE  
FP = FIREPLACE  
FRT = FIRE RETARDANT TREATED  
FTG = FOOTING  
GFI = GROUND FAULT INTERRUPTER  
GL. = GLASS  
GLB = GLULAM BEAM  
GWB = GYPSUM WALL BOARD  
HB = HOSE BIB  
HC = HOLLOW CORE  
HDR = HEADER  
HT = HEIGHT  
IBC = INTERNATIONAL BUILDING CODE  
IRC = INTERNATIONAL RESIDENTIAL CODE  
INSUL. = INSULATION  
INT. = INTERIOR  
JST = JOIST  
LAV = LAVATORY  
LPS = LARGE PROGRAMMING SPACE  
MAX. = MAXIMUM  
MECH. = MECHANICAL  
MFR. = MANUFACTURER  
MIN. = MINIMUM  
MLB = MICRO-LAM BEAM  
M.O.P. = METHOD OF PROCEDURE  
MTL = METAL  
N.I.C. = NOT IN CONTRACT  
NTS = NOT TO SCALE  
OAC = OWNER ARCHITECT CONTRACTOR  
O.C. = ON CENTER  
O.D. = OVERFLOW DRAIN  
O.F.C.I. = OWNER FURNISHED,  
CONTRACTOR INSTALLED  
O.F.O. = OWNER FURNISHED,  
OWNER INSTALLED  
O.H. = OVERHANG  
P = PAINT  
PL = PLATE  
PLAM = PLASTIC LAMINATE  
PLY = PLYWOOD  
P.I.P. = POURED IN PLACE  
P.T. = PRESSURE TREATED  
R = RADIUS  
RD = ROOF DRAIN  
RE. = REFER TO OR REFERENCE  
REINF. = REINFORCING  
REQ'D. = REQUIRED  
RM = ROOM  
RO = ROUGH OPENING  
SC = SOLID CORE  
SF = SQUARE FEET  
SHT = SHEET  
SHTG. = SHEATHING  
SPECS. = SPECIFICATIONS  
S.O.G. = SLAB ON GRADE  
SS = STAINLESS STEEL  
SSM = SOLID SURFACE  
ST = STAIN  
STL = STEEL  
STRL. = STRUCTURAL  
SUBFLR. = SUBFLOOR  
SW = SHEAR WALL  
T = TREAD  
TB = THROUGH BOLT  
TBD = TO BE DETERMINED  
TP = TURN  
T.G. = TEMPERED GLASS  
TLT = TOILET PARTITION  
T.O. = TOP OF  
T.O.C. = TOP OF CONCRETE  
T.O.W. = TOP OF WALL  
TYP. = TYPICAL  
U.O.N. = UNLESS OTHERWISE NOTED  
VB = VAPOR BARRIER  
VERT. = VERTICAL  
V.I.F. = VERIFY IN FIELD  
W/ = WITH  
WD = WASHER AND DRYER  
WC = WATER CLOSET  
WD. = WOOD  
WIN. = WINDOW

LEGEND: GRAPHIC SYMBOLS



USING THE KEYNOTE SYSTEM


KEYNOTE SYSTEM IN THIS DRAWING SET IS DESIGNED AS A REFERENCE FOR THE PROJECT MANUAL.



NOTE: KEYWORD DESCRIPTION IS USED IN KEYWORD LEGEND ON PLANS AND ON KEYNOTE TAG ON ELEVATIONS, SECTIONS AND DETAILS


USING THE SHEET NOTES

SHEET NOTE SYSTEM IN THIS DRAWING SET IS DESIGNED TO CONVEY INFORMATION AND DIRECTION NOT SPECIFIC TO THE PROJECT MANUAL.



NOTE: ALL SHEET NOTE DESCRIPTIONS ARE SORTED BY SHEET AND LOCATED IN THE SHEET NOTE LEGEND. SHEET NOTES ARE NOT ALWAYS IN SUCCESSIVE ORDER

VICINITY MAP:



INTERIOR ENHANCEMENTS SHEET INDEX

GENERAL

- G-001 COVER SHEET
- G-002 GENERAL PROJECT INFORMATION & SHEET INDEX
- G-003 SCOPE AREA PLANS
- G-004 SCOPE AREA PLANS

ARCHITECTURAL

- A-500 EXTERIOR DOOR REPLACEMENT

FINISHES

- A-900 FINISH LEGEND
- A-901 INTERIOR DETAILS
- A-902 INTERIOR DETAILS
- A-9B20 LEVEL B2 OVERALL FINISH PLAN
- A-9B21 LEVEL B2 ENLARGED PLANS AND ELEVATIONS
- A-9B22 LEVEL B2 ENLARGED PLANS AND ELEVATIONS
- A-9B23 LEVEL B2 INTERIOR ELEVATIONS
- A-9B24 LEVEL B2 INTERIOR ELEVATIONS
- A-9B25 LEVEL B2 ENLARGED PLANS AND ELEVATIONS
- A-9B10 LEVEL B1 ENLARGED FINISH PLANS AND ELEVATIONS
- A-910 LEVEL 01 OVERALL FINISH PLAN
- A-911 LEVEL 01 ENLARGED PLANS AND ELEVATIONS
- A-920 LEVEL 02 OVERALL FINISH PLAN
- A-921 LEVEL 02 ENLARGED PLANS AND ELEVATIONS
- A-930 LEVEL 03 OVERALL FINISH PLAN
- A-931 LEVEL 03 ENLARGED PLANS AND ELEVATIONS
- A-940 LEVEL 04 OVERALL FINISH PLAN
- A-941 LEVEL 04 ENLARGED PLANS AND ELEVATIONS
- A-950 LEVEL 05 OVERALL FINISH PLAN
- A-951 LEVEL 05 ENLARGED PLANS AND ELEVATIONS
- A-952 LEVEL 05 ENLARGED PLAN AND ELEVATIONS
- A-960 LEVEL 06 OVERALL FINISH PLAN
- A-961 LEVEL 06 ENLARGED PLANS AND ELEVATIONS
- A-970 LEVEL 07 OVERALL FINISH PLAN
- A-971 LEVEL 07 ENLARGED PLANS AND ELEVATIONS

ENVIRONMENTAL GRAPHICS

- A-601 STAFF CORE ENVIRONMENTAL GRAPHICS
- A-602 STAFF CORE STAIRWELL PAINT
- A-603 TEEN SPACE ENVIRONMENTAL GRAPHICS
- A-604 TEEN SPACE - FRAMERY PRODUCT DATA
- A-605 COMMUNITY SERVICE / BOOKSTORE

GENERAL NOTES:

- DO NOT SCALE DRAWINGS. WRITTEN DIMENSIONS SHALL TAKE PRECEDENCE. IF ADDITIONAL DIMENSIONS ARE REQUIRED, CONTACT ARCHITECT.
- CONTRACTOR TO VERIFY ALL FIELD CONDITIONS AND DIMENSIONS AND LAY OUT PROPOSED WORK PRIOR TO CONSTRUCTION IN NEW WORK AREA. REPORT DISCREPANCIES TO ARCHITECT FOR RESOLUTION.
- IN THE EVENT OF CONFLICTING OR UNCLEAR INFORMATION, CONTRACTOR SHALL CONTACT ARCHITECT FOR CLARIFICATION DURING THE WORK AFFECTED.
- SITE SURVEY PROVIDED IS DEEMED TO BE RELIABLE AND ACCURATE. CONTRACTOR TO NOTIFY ARCHITECT AND CIVIL ENGINEER WHEN DISCREPANCIES ARE ENCOUNTERED PRIOR TO OR DURING CONSTRUCTION.
- ALL WORK SHALL CONFORM TO APPLICABLE CODES. NOTIFY ARCHITECT OF ANY CONDITIONS OR DETAILS WHICH ARE DEEMED TO BE NONCONFORMING.
- BUILDING IS TO REMAIN OCCUPIED AND OPEN TO THE PUBLIC THROUGHOUT THE CONSTRUCTION DURATION. CONTRACTOR TO WORK CLOSELY WITH DPL AND ARCHITECT TO DEVELOP PHASING PLANS THAT FIRST PROTECT THE PUBLIC AND STAFF, SECOND PROVIDE ACCESS TO ALL LIBRARY SERVICES, AND THIRD FACILITATE EFFICIENT CONSTRUCTION.
- CONTRACTOR IS RESPONSIBLE FOR ENSURING LIFE SAFETY SYSTEMS, EGRESS PATHS, AND FIRST RESPONDER ACCESS THROUGHOUT BUILDING AT ALL TIMES DURING CONSTRUCTION
- CENTER ITEMS IN CEILING PANELS U.O.N. - REFER TO FINISH LEGEND FOR FINISH PLAN SYMBOLS



GENERAL NOTES: REMOVAL OF FINISHES


- COORDINATE WITH ALL OTHER DRAWINGS AND SPECIFICATIONS FOR AREAS THAT WILL REQUIRE REMOVAL OF FINISHES.
- PATCH AND REPAIR REMAINING ADJACENT SURFACES. AT AREAS OF REMOVAL AND/OR ALTERATION, TO MATCH EXISTING.
- WHERE REMOVAL OF EXISTING ITEMS CAUSES DAMAGE TO SUBSURFACE, PATCH AND REPAIR SUBSURFACE. ADHERE TO MANUFACTURES REQUIREMENTS FOR INSTALLATION OF NEW FINISHES.
- WHERE REMOVAL OF WALL-MOUNTED ITEMS IS INDICATED, REMOVE ALL RELATED BRACKETS, SCREWS, ANCHORS, GLUE AND OTHER ATTACHMENTS TO PREPARE FOR NEW FINISHES.
- REMOVAL OF FLOORING IS TO CENTER OF DOOR, WHERE APPLICABLE.
- WHERE NEW FLOORING FINISHES ARE IDENTIFIED ON THE FINISHES PLAN, CONTRACTOR SHALL INCLUDE REMOVAL OF EXISTING FINISHES FOLLOWED BY APPROPRIATE SUBFLOOR REPAIRS AND PREPARATION FOR NEW MATERIAL INSTALLATION AS REQUIRED BY MANUFACTURER.
- A PRE-CONSTRUCTION MEETING IS REQUIRED FOR ALL AREAS RECEIVING NEW FLOOR OR WALL FINISHES. GENERAL CONTRACTOR TO DOCUMENT ALL EXISTING CONDITIONS PRIOR TO ANY WORK.
- GENERAL CONTRACTOR IS RESPONSIBLE FOR DOCUMENTING THE PRE-CONSTRUCTION CONDITION OF, STORAGE AND SAFE KEEPING OF SALVAGED ITEMS. ALL SALVAGED ITEMS SHALL BE RETURNED TO OWNER IN GOOD, CLEAN WORKING CONDITION FOR RE-USE AS NOTED.
- BUILDING TO REMAIN OPEN TO THE PUBLIC AND IN USE THROUGHOUT CONSTRUCTION.
- DIRECTIONS WHERE NOTED ARE ALWAYS IN REFERENCE TO PLAN NORTH (PAGE UP).
- TO ISOLATE CONSTRUCTION ZONES DUST PARTITIONS ARE REQUIRED AND EXCESSIVELY NOISY ACTIVITIES MUST BE SCHEDULED DURING OFF-HOURS.
- EXISTING WALL ACCESSORIES TO BE REMOVED PRIOR TO START OF DEMOLITION PHASE.
- GENERAL CONTRACTOR IS RESPONSIBLE FOR THE MOVING OF FURNITURE, EQUIPMENT AND SHELVING FROM AREAS RECEIVING NEW FLOOR FINISHES. ALL MOVED ITEMS ARE TO BE STORED ON SITE AND RETURNED TO ORIGINAL LOCATIONS AFTER INSTALLATION OF NEW FLOORING.
- ALL WALL MOUNTED EQUIPMENT & SIGNAGE IS TO BE REMOVED & REINSTALLED TO ALLOW FOR PROPER PREP & PAINT OF WALLS.

SCOPE AREA LEGEND


- BASE SCOPE AREA
- ALTERNATE SCOPE AREA
- NOT IN SCOPE

SHEET NOTES


NOTE	DESCRIPTION
S02	REMOVE EXISTING VCT FLOORING THIS AREA, ASSESS EXISTING CONDITIONS AND NECESSARY FLOOR PREP AND REPAIR REQUIREMENTS NEEDED FOR EXPOSED CONCRETE WITH SLIP RESISTANT GRIT IN THIS AREA. OWNER TO CONFIRM FINAL FLOORING DIRECTION
S03	REMOVE ALL ACT AND GRID ASSEMBLES AND REPLACE WITH NEW
S04	AT STAFF CORE REMOVE ALL EXISTING WALL PROTECTION IN ITS ENTIRETY AND 'PREPARE' FOR NEW FINISH RE: FINISH PLANS AND SCHEDULE
S05	REMOVE EXISTING VCT THIS AREA S00
S06	STRIP PAINT AT ELEVATOR DOOR FRAMES AND DOORS; PREP FOR NEW PAINT AT ELEVATOR DOOR FRAMES AND DOORS
S07	REMOVE EXISTING WALL PROTECTION THIS AREA
S08	REMOVE EXISTING FLOORING AND PREP FOR NEW FLOORING
S17	EXISTING FLOORING TO REMAIN, VERIFY AND DOCUMENT EXTENT IN FIELD



LEVEL 02 - SCOPE PLAN  
N.T.S.



LEVEL 03 - SCOPE PLAN  
N.T.S.





GENERAL NOTES: REMOVAL OF FINISHES


- COORDINATE WITH ALL OTHER DRAWINGS AND SPECIFICATIONS FOR AREAS THAT WILL REQUIRE REMOVAL OF FINISHES.
- PATCH AND REPAIR REMAINING ADJACENT SURFACES. AT AREAS OF REMOVAL AND/OR ALTERATION, TO MATCH EXISTING.
- WHERE REMOVAL OF EXISTING ITEMS CAUSES DAMAGE TO SUBSURFACE, PATCH AND REPAIR SUBSURFACE. ADHERE TO MANUFACTURES REQUIREMENTS FOR INSTALLATION OF NEW FINISHES.
- WHERE REMOVAL OF WALL-MOUNTED ITEMS IS INDICATED, REMOVE ALL RELATED BRACKETS, SCREWS, ANCHORS, GLUE AND OTHER ATTACHMENTS TO PREPARE FOR NEW FINISHES.
- REMOVAL OF FLOORING IS TO CENTER OF DOOR, WHERE APPLICABLE.
- WHERE NEW FLOORING FINISHES ARE IDENTIFIED, ON THE FINISHES PLAN, CONTRACTOR SHALL INCLUDE REMOVAL OF EXISTING FINISHES FOLLOWED BY APPROPRIATE SUBFLOOR REPAIRS AND PREPARATION FOR NEW MATERIAL INSTALLATION AS REQUIRED BY MANUFACTURER.
- A PRE-CONSTRUCTION MEETING IS REQUIRED FOR ALL AREAS RECEIVING NEW FLOOR OR WALL FINISHES. GENERAL CONTRACTOR TO DOCUMENT ALL EXISTING CONDITIONS PRIOR TO ANY WORK.
- GENERAL CONTRACTOR IS RESPONSIBLE FOR DOCUMENTING THE PRE-CONSTRUCTION CONDITION OF, STORAGE AND SAFE KEEPING OF SALVAGED ITEMS. ALL SALVAGED ITEMS SHALL BE RETURNED TO OWNER IN GOOD, CLEAN WORKING CONDITION FOR RE-USE AS NOTED.
- BUILDING TO REMAIN OPEN TO THE PUBLIC AND IN USE THROUGHOUT CONSTRUCTION.
- DIRECTIONS WHERE NOTED ARE ALWAYS IN REFERENCE TO PLAN NORTH (PAGE UP).
- TO ISOLATE CONSTRUCTION ZONES DUST PARTITIONS ARE REQUIRED AND EXCESSIVELY NOISY ACTIVITIES MUST BE SCHEDULED DURING OFF-HOURS.
- EXISTING WALL ACCESSORIES TO BE REMOVED PRIOR TO START OF DEMOLITION PHASE.
- GENERAL CONTRACTOR IS RESPONSIBLE FOR THE MOVING OF FURNITURE, EQUIPMENT AND SHELVING FROM AREAS RECEIVING NEW FLOOR FINISHES. ALL MOVED ITEMS ARE TO BE STORED ON SITE AND RETURNED TO ORIGINAL LOCATIONS AFTER INSTALLATION OF NEW FLOORING.
- ALL WALL MOUNTED EQUIPMENT & SIGNAGE IS TO BE REMOVED & REINSTALLED TO ALLOW FOR PROPER PREP & PAINT OF WALLS.

SCOPE AREA LEGEND


- BASE SCOPE AREA
- ALTERNATE SCOPE AREA
- NOT IN SCOPE

SHEET NOTES


NOTE	DESCRIPTION
S04	AT STAFF CORE REMOVE ALL EXISTING WALL PROTECTION IN ITS ENTIRETY AND 'PREPARE' FOR NEW FINISH RE: FINISH PLANS AND SCHEDULE
S06	STRIP PAINT AT ELEVATOR DOOR FRAMES AND DOORS; PREP FOR NEW PAINT AT ELEVATOR DOOR FRAMES AND DOORS
S08	REMOVE EXISTING FLOORING AND PREP FOR NEW FLOORING
S12	GRIND DOWN CONCRETE AS NEEDED THIS AREA
S13	PATCH, REPAIR, AND PAINT WOOD BASE AS NEEDED
S47	ALTERNATE #2: PRICE AS A SEPARATE LINE ITEM; SKIM COAT ALL WALLS AND REPAINT WALLS LEVEL 7. MATCH EXSITING PAINT COLORS




LEVEL 06 - SCOPE PLAN  
N.T.S.



LEVEL 07 - SCOPE PLAN  
N.T.S.



LEVEL 04 - SCOPE PLAN  
N.T.S.



LEVEL 05 - SCOPE PLAN  
N.T.S.







WALL FINISHES

PT-01	PAINT - (E) CEILING WHITE
DESCRIPTION	MATCH EXISTING COLOR AND SHEEN
NOTE	
PT-02	PAINT - (E) ADJACENT WALL COLOR
DESCRIPTION	MATCH EXISTING COLOR AND SHEEN
NOTE	
PT-03	PAINT - (E) PAINTED WOOD BASE
DESCRIPTION	MATCH EXISTING COLOR AND SHEEN
NOTE	
PT-04	PAINTED WALL BASE
MFR	PRATT & LAMBERT
COLOR	33-13, TROUT
SHEEN	SEMI GLOSS
NOTES	PAINTED WOOD WALL BASE
PT-05	PAINT - ACCENT
MFR	SHERWIN WILLIAMS
COLOR	SW-6788, CAPRI
SHEEN	FLAT, EGGSHELL
NOTES	EXPOSED TO STRUCTURE, WALLS
PT-06	PAINT - NEUTRAL
MFR	SHERWIN WILLIAMS
COLOR	SW-7016, MINDFUL GREY
SHEEN	EGGSHELL
NOTES	GENERAL FIELD
PT-07	PAINT - CEILING WHITE
MFR	BENJAMIN MOORE
COLOR	OC-55, PAPER WHITE
SHEEN	EGGSHELL
NOTES	
PT-08	PAINT - ACCENT
MFR	SHERWIN WILLIAMS
COLOR	SW-6733, GRASSHOPPER
SHEEN	EGGSHELL, FLAT
NOTES	
PT-09	PAINT - ACCENT
MFR	SHERWIN WILLIAMS
COLOR	SW-6711, PARAKEET
SHEEN	EGGSHELL, FLAT
NOTES	
PT-10	ACCENT PAINT
MFR	PPG INDUSTRIES
COLOR	1142-6, JERICHO JADE
SHEEN	SEMI-GLOSS
NOTES	
PT-11	PAINT - ACCENT
MFR	PPG INDUSTRIES
COLOR	1154-7, REGATTA BAY
SHEEN	SEMI-GLOSS, FLAT
NOTES	
PT-12	PAINT - ACCENT
MFR	SHERWIN WILLIAMS
COLOR	SW 7018, DOVETAIL
SHEEN	EGGSHELL
NOTES	
PT-14	ACCENT PAINT
MFR	SHERWIN WILLIAMS
COLOR	SW 6983 FULLY PURPLE
SHEEN	EGGSHELL
NOTES	
PT-16	ACCENT PAINT
MFR	SHERWIN WILLIAMS
COLOR	SW6481 GREEN BAY
SHEEN	EGGSHELL
NOTES	
PT-20	ACCENT PAINT
MFR	SHERWIN WILLIAMS
COLOR	SW6629 JALAPENO
SHEEN	EGGSHELL
NOTES	
PT-21	ACCENT PAINT
MFR	SHERWIN WILLIAMS
COLOR	SW6629 JALAPENO
SHEEN	SEMI-GLOSS
NOTES	
PT-22	ACCENT PAINT
MFR	SHERWIN WILLIAMS
COLOR	SW 6695 MIDDAY
SHEEN	SEMI-GLOSS
NOTES	
PT-23	ACCENT PAINT
MFR	SHERWIN WILLIAMS
COLOR	SW6676 BUTTERFIELD
SHEEN	SEMI-GLOSS
NOTES	

PT-24	PAINT - ACCEENT (TEEN'S)
MFR	SHERWIN WILLIAMS
COLOR	SW SUNFLOWER
SHEEN	SEMI-GLOSS, FLAT
NOTES	FLAT TO BE USED ON CEILING STRUCTURE, RE: A/910
PT-25	PAINT - ACCEENT (TEEN'S)
MFR	SHERWIN WILLIAMS
COLOR	SW9030 LIMON FRESCO
SHEEN	SEMI-GLOSS
NOTES	
PT-26	PAINT - ACCEENT (TEEN'S)
MFR	SHERWIN WILLIAMS
COLOR	SW6484 MEANDER BLUE
SHEEN	SEMI-GLOSS
NOTES	
PT-28	ACCENT PAINT
MFR	SHERWIN WILLIAMS
COLOR	SW6987 JITTERBUG JADE
SHEEN	SEMI-GLOSS
NOTES	
PT-29	ACCENT PAINT
MFR	SHERWIN WILLIAMS
COLOR	SW6487 CLOUDBURST
SHEEN	SEMI-GLOSS
NOTES	
PT-30	ACCENT PAINT
MFR	SHERWIN WILLIAMS
COLOR	SW6488 GRAND CANAL
SHEEN	SEMI-GLOSS
NOTES	
PT-31	ACCENT PAINT
MFR	SHERWIN WILLIAMS
COLOR	SW6482 CAPE VERDE
SHEEN	SEMI-GLOSS
NOTES	
PT-32	ACCENT PAINT
MFR	SHERWIN WILLIAMS
COLOR	SW6568 LIGHTHEARTED PINK
SHEEN	SEMI-GLOSS
NOTES	
PT-33	ACCENT PAINT
MFR	SHERWIN WILLIAMS
COLOR	SW6594 POINSETTIA
SHEEN	SEMI-GLOSS
NOTES	
PT-34	ACCENT PAINT
MFR	SHERWIN WILLIAMS
COLOR	SW6573 JUNE BERRY
SHEEN	SEMI-GLOSS
NOTES	
PT-35	ACCENT PAINT
MFR	SHERWIN WILLIAMS
COLOR	SW6311 MEMORABLE ROSE
SHEEN	SEMI-GLOSS
NOTES	
PT-36	ACCENT PAINT
MFR	SHERWIN WILLIAMS
COLOR	SW6640 EXUBERANT PINK
SHEEN	SEMI-GLOSS
NOTES	
PT-37	ACCENT PAINT
MFR	SHERWIN WILLIAMS
COLOR	SW 7056 RESERVED WHITE
SHEEN	EGGSHELL
NOTES	
PT-38	ACCENT PAINT
MFR	SHERWIN WILLIAMS
COLOR	SW 6703 FROLIC
SHEEN	EGGSHELL
NOTES	

FLOORING

CPT-09	CARPET - STAFF BOH
MANUFACTURER	INTERFACE
STYLE	TO SCALE
COLOR	DETAILS 7776
SIZE	50 CM X 50 CM
FIBER	100% RECYCLED NYLON
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	-
INSTALLATION	NON-DIRECTIONAL
NOTE	
CPT-10	CARPET - CUSTOM
MANUFACTURER	INTERFACE
STYLE	19K30200 CUSTOM TUFTED
COLOR	191573
SIZE	50 CM X 50 CM
FIBER	100% RECYCLED NYLON
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	-
INSTALLATION	NON-DIRECTIONAL
NOTE	
CPT-11	CARPET - BOOKSTORE - L01
MANUFACTURER	INTERFACE
STYLE	MERCER STREET (#1427902500)
COLOR	GRAPHITE CIRCLE (#105767)
SIZE	50 CM X 50 CM
FIBER	100% RECYCLED NYLON
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	-
INSTALLATION	NON-DIRECTIONAL
NOTE	
CPT-12a	CARPET - L04
MANUFACTURER	INTERFACE
STYLE	STUNT DOUBLE (#16804)
COLOR	GRAYSCALE (#107654)
SIZE	50 CM X 50 CM
FIBER	100% RECYCLED NYLON
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	-
INSTALLATION	NON-DIRECTIONAL
NOTE	REFERENCECECE INSTALL DIAGRAM (A-942)
CPT-12b	CARPET - L04
MANUFACTURER	INTERFACE
STYLE	STUNT DOUBLE (#16804)
COLOR	CYANOTYPE (#107657)
SIZE	50 CM X 50 CM
FIBER	100% RECYCLED NYLON
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	-
INSTALLATION	NON-DIRECTIONAL
NOTE	REFERENCECECE INSTALL DIAGRAM (A-942)
CPT-12c	CARPET - L04
MANUFACTURER	INTERFACE
STYLE	TWO TO TANGO (#16800)
COLOR	CYANOTYPE (#107615)
SIZE	50 CM X 50 CM
FIBER	100% RECYCLED NYLON
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	-
INSTALLATION	NON-DIRECTIONAL
NOTE	REFERENCECECE INSTALL DIAGRAM (A-942)
CPT-12d	CARPET - L04
MANUFACTURER	INTERFACE
STYLE	DYNAMIC DUO (#16801)
COLOR	CYANOTYPE (#107629)
SIZE	50 CM X 50 CM
FIBER	100% RECYCLED NYLON
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	-
INSTALLATION	NON-DIRECTIONAL
NOTE	REFERENCECECE INSTALL DIAGRAM (A-942)
CPT-13	CARPET - COMMUNITY SERVICE - L02
MANUFACTURER	INTERFACE
STYLE	MERCER STREET (#1427902500)
COLOR	BROWN CIRCLE (#105783)
SIZE	50 CM X 50 CM
FIBER	100% RECYCLED NYLON
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	-
INSTALLATION	NON-DIRECTIONAL
NOTE	
RF-01	RUBBER FLOOR
MANUFACTURER	NORA BY INTERFACE
STYLE	NORAMENT CASTELLO
COLOR	5354 MANOR
SIZE	TILE, THICKNESS: 3.5MM
MATERIAL	RUBBER FLOORING
NOTE	
RSN-01	RUBBER STAIR NOSING
MANUFACTURER	JOHNSONITE TARKETT
STYLE	VDL-XX-RD
COLOR	TBD
SIZE	
MATERIAL	RUBBER
NOTE	1/8" MATERIAL ON STEP
RSR-01	RUBBER STAIR TRED
MANUFACTURER	JOHNSONITE TARKETT
STYLE	FASTLANE
COLOR	TBD
SIZE	-
MATERIAL	RUBBER
NOTE	ANGLE FIT RUBBER STAIR TRED W/ INTEGRATED RISER

WALL PROTECTION

CG-07	CORNER GUARDS
DESCRIPTION	ACROVYN PLASTIC - SSM-20 2" LEG SIZE, COLOR TBD
NOTE	2" WINGS, 8" TALL
WP-03	WALL PROTECTION - DECORATIVE
DESCRIPTION	ACROVYN CORDUROY PATTERN, COLOR: GRAY GOOSE
NOTE	4'x8'
CR-01	CRASH RAIL
DESCRIPTION	ACROVYN SCR-50, COLOR TBD
NOTE	

WALL BASE

RB-05	RUBBER BASE
DESCRIPTION	6" RUBBER BASE
NOTE	JOHNSONITE "SHARK FIN", COVE TOE
WC-03	ACOUSTIC FELT PANEL
MANUFACTURER	UNIKA VAEV
STYLE	AIRGONE
COLOR	AIR SERIES, MULTIPLE COLORS
SIZE	FULL SIZE MODULES
MATERIAL	100% MOLDED POLYESTER FELT FIBER
NOTE	COLOR A: LIGHT GREY 60, COLOR B: MIDDLE GRAY 65

GENERAL NOTES:

- SEE FINISH LEGEND AND RCP'S FOR ADDITIONAL INFORMATION.
- CONTRACTOR TO VERIFY ALL APPROPRIATE INSTALLATION & CONSTRUCTION DETAILS & ABILITY TO INSTALL PER DESIGN INTENT. PLEASE VERIFY ANY QUESTIONS AND/OR DISCREPANCIES WITH DESIGNER PRIOR TO CONSTRUCTION.
- UNO THE SUBSTRATE FOR ANY PAINT IS GWB.
- CONSULT WITH ARCHITECT REGARDING ANY NOTICEABLE IMPERFECTION.
- ALL GYP SOFFITS AND CEILINGS ARE TO BE PAINTED PT-01 U.N.O. BE RCP. ENLARGED PLANS FOR ACCENT COLOR AND EXTENTS.
- IN THE EVENT OF UNCLEAR OR CONFLICTING INFORMATION, ARCHITECT SHALL BE CONTACTED FOR CLARIFICATION.
- ALL EXISTING WALL SURFACE EXISTING TO REMAIN SHALL BE SCRAPPED, SPACKLED, PATCHED, CLEANED OR OTHERWISE PREPARED TO RECEIVE NEW PAINT WITHOUT NOTICEABLE IMPERFECTION.
- U.O.N. PAINT METAL DOORS AND DOOR FRAMES PT-04, RE-FINISH PLANS AND ELEVATIONS FOR ANY DOORS RECEIVING ACCENT PAINT COLORS.
- BUILDING TO REMAIN OPEN AND OPERATIONAL DURING CONSTRUCTION. SEE PHASING PLANS FOR DETAILS.
- EXTEND FLOOR FINISHES UNDER MILLWORK & INTO RECESSES.
- CARPET INSTALLATION SHALL COMPLY WITH THE WORKMANSHIP GUIDELINES AS PUBLISHED BY THE AMERICAN CARPET INSTITUTES LATEST EDITION AND SHALL BE IN STRICT ACCORDANCE WITH THE MANUFACTURER'S RECOMMENDATIONS, PROVIDING AN ATTRACTIVE, WRINKLE-FREE APPEARANCE. CARPET SEAMS SHALL BE BUTT MATCHED RUNNING IN THE SAME DIRECTION.
- PROVIDE FLASH-PATCHFLOOR IN ALL AREAS WHERE FLOOR IS NOT LEVEL OR TRUE PRIOR TO FLOORING INSTALLATION OF NEW MATERIALS.
- GENERAL CONTRACTOR TO SCRAPE EXISTING FLOOR SLAB FREE OF SCREWS, ADHESIVE & OTHER MISCELLANEOUS MATERIALS FOR SMOOTH, EVEN FINISH.
- FLOORING TRANSITIONS AT CENTER OF DOOR OPENINGS, RE: INTERIOR DETAILS SHEET, A-901, VERIFY ALL LOCATIONS ON SITE.
- UNLESS OTHERWISE NOTED PAINT WOOD BASE PT-04.
- UNLESS OTHERWISE NOTED PAINT WALLS TYPICAL FIELD PT-06.
- COORDINATE WALL PROTECTION PANEL SEAM LOCATIONS IN FIELD.
- CONFIRM CORNER GUARD LOCATIONS AND QUANTITIES IN FIELD.
- GENERAL CONTRACTOR IS RESPONSIBLE FOR THE MOVING OF FURNITURE, EQUIPMENT, AND SHELVING FROM AREAS RECEIVING NEW FLOOR FINISHES. ALL MOVED ITEMS ARE TO BE STORED ON SITE AND RETURNED TO ORIGINAL LOCATIONS AFTER INSTALLATION OF NEW FLOORING.

GENERAL NOTES - FLOOR FINISHES

- IN THE EVENT OF UNCLEAR OR CONFLICTING INFORMATION, ARCHITECT SHALL BE CONTACTED FOR CLARIFICATION.
- EXISTING CUSTOM COLOR CARPET MUST BE SALVAGED SHALL BE STORED AND PROTECTED FOR REUSE.
- CARPET TO BE DEMOLISHED SHALL BE SENT BACK TO INTERFACE FOR RECYCLING.
- FLOOR FINISHES SHOULD EXTEND UNDER MILLWORK & INTO RECESSES.
- REFER TO FINISH LEGEND FOR ADDITIONAL INFORMATION.
- CARPET INSTALLATION SHALL COMPLY WITH THE WORKMANSHIP GUIDELINES AS PUBLISHED BY THE AMERICAN CARPET INSTITUTES LATEST EDITION AND SHALL BE IN STRICT ACCORDANCE WITH THE MANUFACTURER'S RECOMMENDATIONS, PROVIDING AN ATTRACTIVE, WRINKLE-FREE APPEARANCE.
- FLASH-PATCHFLOOR ALL AREAS WHERE FLOOR IS NOT LEVEL OR TRUE PRIOR TO FLOORING INSTALLATION.
- GENERAL CONTRACTOR TO SCRAPE EXISTING SLAB FREE OF SCREWS, ADHESIVE & OTHER MISCELLANEOUS MATERIALS FOR SMOOTH, EVEN FINISH.
- CONTRACTOR TO VERIFY ALL APPROPRIATE INSTALLATION & CONSTRUCTION DETAILS & ABILITY TO INSTALL PER DESIGN INTENT AND MANUFACTURER RECOMMENDATIONS. PLEASE VERIFY ANY QUESTIONS AND/OR DISCREPANCIES WITH DESIGNER PRIOR TO INSTALL.
- ALL TILE INSTALLATIONS MUST COMPLY WITH THE LATEST APPLICABLE TONA GUIDELINES. SHOP DRAWINGS SHALL BE PROVIDED AND APPROVED PRIOR TO INSTALL.
- PRECONSTRUCTION MEETING FOR FLOORING IS REQUIRED PRIOR TO INSTALL.

GENERAL NOTES - WALL FINISHES

- ALL INFRASTRUCTURE ATTACHED TO A SURFACE INDICATED TO BE PAINTED IS TO ALSO BE PAINTED TO MATCH - INCLUDING BUT NOT LIMITED TO CONDUIT, ELECTRICAL BOXES, PIPING ETC UNLESS NOTED OTHERWISE.
- ALL PAINTED WOOD WALL BASE SHALL BE PT-04 U.N.O. IN AREAS TO BE PAINTED THAT ARE OPEN TO ABOVE, PAINT ALL INFRASTRUCTURE ABOVE RE: RCP FOR COLOR.
- WALL FINISHES SHOULD EXTEND BELOW MILLWORK & INTO RECESSES.
- PROVIDE CORNER GUARDS CG-01 AT ALL PROTRUDING GYPSUM BOARD CORNERS IN HIGH TRAFFIC LOCATIONS, U.N.O. CONFIRM LOCATIONS ON SITE WITH OWNER.
- ALL WOOD DOORS TO BE MAPLE SPECIES AND STAINED TO MATCH ARCH. SAMPLE, U.N.O.
- GC TO PROVIDE ALL CODE REQUIRED ROOM SIGNAGE, SDC TO ASSIST IN DEVELOPING DESIGN FOR SIGNS AND WAYFINDING ELEMENTS.
- REFER TO ENVIRONMENTAL GRAPHICS SPECS FOR GRAPHIC ELEMENT DETAILS.
- ALL DOOR FRAMES TO BE PAINTED TO MATCH ADJACENT WALLS U.N.O. ON DOOR SCHEDULE.
- MOCK UP OF ALL PAINT COLORS IS REQUIRED. GC TO PROVIDE DRAWDOWNS OF EACH PAINT COLOR AND SHEEN, L.
- ALL EXISTING WALL SURFACES EXISTING TO REMAIN SHALL BE SCRAPPED, SPACKLED, PATCHED, CLEANED OR OTHERWISE PREPARED TO RECEIVE NEW PAINT WITHOUT NOTICEABLE IMPERFECTION.




OWNER  
City and County of Denver  
Department of Public Works  
201 W Colfax Ave., Denver, CO 80202  
ARCHITECT / INTERIORS / GRAPHICS  
studiotrope Design Collective  
2445 Welton St, Denver, CO 80205  
303.308.1144

PROJECT  
DENVER CENTRAL LIBRARY  
INTERIOR ENHANCEMENTS PROJECT

BID DOCUMENTS  
10 West 14th Ave. Plwy  
Denver, CO 80204

ISSUE DATE: 01/31/2024  
PHASE / REV NAME: 1 BID DOCUMENTS


PROJECT NO: 2306A




FINISH LEGEND

A-900







11  
A-901  
FLOORING TRANSITION - RESILIENT TO RUBBER BASE  
6" = 1'-0"




10  
A-901  
FLOORING TRANSITION - CARPET TO WOOD BASE  
6" = 1'-0"




9  
A-901  
FLOORING TRANSITION - CARPET TO RUBBER BASE  
6" = 1'-0"




8  
A-901  
FLOORING TRANSITION - RESILIENT TO TILE  
12" = 1'-0"




7  
A-901  
FLOORING TRANSITION - RESILIENT TILE TO CARPET TRANSITION  
12" = 1'-0"




6  
A-901  
EPOXY FLOORING TO CARPET TRANSITION  
12" = 1'-0"



5  
A-901  
SEALED CONCRETE TO RUBBER FLOOR TRANSITION  
12" = 1'-0"




4  
A-901  
FLOORING TRANSITION - CARPET TO CONCRETE, WHEELED TRAFFIC METAL  
12" = 1'-0"




3  
A-901  
VCT TO RUBBER FLOOR TRANSITION  
12" = 1'-0"

\*Transition where carpet or rubber flooring meets zero-height surfaces.










2  
A-901  
FLOORING TRANSITION - RUBBER FLOORING TO CONCRETE  
12" = 1'-0"




1  
A-901  
FLOORING TRANSITION - RUBBER FLOORING TO CARPET  
12" = 1'-0"










#### INTERIOR ELEVATION LEGEND

NEW ELEMENTS

#### WALL FINISH LEGEND


HATCH INDICATES PAINT SCOPE OF WALL OR CEILINGS; VARIES FLOOR TO FLOOR

PAINT / WALL FINISH



PT-XX

#### FLOORING LEGEND



FLOOR FINISH TRANSITION

PATTERN OR GRAIN DIRECTION OF FLOORING

OUTLINE OF BUILDING FOOTPRINT ABOVE

#### Level B1 Room Finish Schedule

Room Number	Room Name	Floor Finish	Base Finish
B102	ELD WORK ROOM	(E)	(E)
B107	HALL	RF-01	RB-05
B122	RAMP	RF-01	RB-05
B135C	VESTIBULE	RF-01	RB-05
B1127	ELD OFFICE	(E)	(E)

#### GENERAL NOTES:

- SEE FINISH LEGEND AND RCP'S FOR ADDITIONAL INFORMATION.
- CONTRACTOR TO VERIFY ALL APPROPRIATE INSTALLATION & CONSTRUCTION DETAILS & ABILITY TO INSTALL PER DESIGN INTENT. PLEASE VERIFY ANY QUESTIONS AND/OR DISCREPANCIES WITH DESIGNER PRIOR TO CONSTRUCTION.
- UNO THE SUBSTRATE FOR ANY PAINT IS GWB.
- CONSULT WITH ARCHITECT REGARDING ANY DISCREPANCIES OR OMISSIONS.
- ALL GYP SOFFITS AND CEILINGS ARE TO BE PAINTED PT-01 U.N.O. RE: RCP ENLARGED PLANS FOR ACCENT COLOR AND EXTENTS.
- IN THE EVENT OF UNCLEAR OR CONFLICTING INFORMATION, ARCHITECT SHALL BE CONTACTED FOR CLARIFICATION.
- ALL EXISTING WALL SURFACE EXISTING TO REMAIN SHALL BE SCRAPED, SPACKLED, PATCHED, CLEANED OR OTHERWISE PREPARED TO RECEIVE NEW PAINT WITHOUT NOTICEABLE IMPERFECTION.
- U.O.N. PAINT METAL DOORS AND DOOR FRAMES PT-04, RE: FINISH PLANS AND ELEVATIONS FOR ANY DOORS RECEIVING ACCENT PAINT COLORS.
- BUILDING TO REMAIN OPEN AND OPERATIONAL DURING CONSTRUCTION. SEE PHASING PLANS FOR DETAILS.
- EXTEND FLOOR FINISHES UNDER MILLWORK & INTO RECESSES.
- CARPET INSTALLATION SHALL COMPLY WITH THE WORKMANSHIP GUIDELINES AS PUBLISHED BY THE AMERICAN CARPET INSTITUTES LATEST EDITION AND SHALL BE IN STRICT ACCORDANCE WITH THE MANUFACTURERS RECOMMENDATIONS, PROVIDING AN ATTRACTIVE, WRINKLE-FREE APPEARANCE. CARPET SEAMS SHALL BE BUTT MATCHED RUNNING IN THE SAME DIRECTION.
- PROVIDE FLASH-PATCH/FLOOR IN ALL AREAS WHERE FLOOR IS NOT LEVEL OR TRUE PRIOR TO FLOORING INSTALLATION OF NEW MATERIALS.
- GENERAL CONTRACTOR TO SCRAPE EXISTING FLOOR SLAB FREE OF SCREWS, ADHESIVE & OTHER MISCELLANEOUS MATERIALS FOR SMOOTH, EVEN FINISH.
- FLOORING TRANSITIONS AT CENTER OF DOOR OPENINGS, RE: INTERIOR DETAILS SHEET, A-901, VERIFY ALL LOCATIONS ON SITE.
- UNLESS OTHERWISE NOTED PAINT WOOD BASE PT-04.
- UNLESS OTHERWISE NOTED PAINT WALLS TYPICAL FIELD PT-06.
- COORDINATE WALL PROTECTION PANEL SEAM LOCATIONS IN FIELD.
- CONFIRM CORNER GUARD LOCATIONS AND QUANTITIES IN FIELD.
- GENERAL CONTRACTOR IS RESPONSIBLE FOR THE MOVING OF FURNITURE, EQUIPMENT, AND SHELVING FROM AREAS RECEIVING NEW FLOOR FINISHES. ALL MOVED ITEMS ARE TO BE STORED ON SITE AND RETURNED TO ORIGINAL LOCATIONS AFTER INSTALLATION OF NEW FLOORING.

#### SHEET NOTES

NOTE	DESCRIPTION
S03	REMOVE ALL ACT AND GRID ASSEMBLES AND REPLACE WITH NEW
S23	PAINT DOOR FRAME AND DOOR ACCENT PAINT RE: FINISH PLANS AND ELEVATIONS
S28	ACCENT PAINT AND COLOR BLOCKING LAYOUT, COORDINATE WITH DESIGN TEAM
S32	PAINT ELEVATOR DOOR AND DOOR FRAME ACCENT PAINT COLOR
S34	DECORATIVE ACOUSTIC PANEL INSTAILATION
S38	NEW PAINT IN THIS AREA, PT-06

studiotrope  
design collective

OWNER  
City and County of Denver  
Department of Public Works  
201 W Colfax Ave., Denver, CO 80202




ARCHITECT / INTERIORS / GRAPHICS  
studiotrope Design Collective  
2945 Wilson St. Denver, CO 80205  
303.308.1144

PROJECT  
DENVER CENTRAL LIBRARY  
INTERIOR ENHANCEMENTS PROJECT  
BID DOCUMENTS

10 West 14th Ave. Plwy  
Denver, CO 80204

PROJECT NO: 2306A

ISSUE DATE: 01/31/2024  
PHASE / REV NAME: BID DOCUMENTS




LEVEL B1 ENLARGED FINISH  
PLANS AND ELEVATIONS


A-9B10

© 2024 STUDIOTROPE, LLC  
1/31/2024 4:15:48 PM





FLOORING LEGEND




FLOOR FINISH TRANSITION

PATTERN OR GRAIN DIRECTION OF FLOORING

OUTLINE OF BUILDING FOOTPRINT ABOVE

WALL FINISH LEGEND



GENERAL NOTES:


- SEE FINISH LEGEND AND RCP'S FOR ADDITIONAL INFORMATION.
- CONTRACTOR TO VERIFY ALL APPROPRIATE INSTALLATION & CONSTRUCTION DETAILS & ABILITY TO INSTALL PER DESIGN INTENT. PLEASE VERIFY ANY QUESTIONS AND/OR DISCREPANCIES WITH DESIGNER PRIOR TO CONSTRUCTION.
- UNO THE SUBSTRATE FOR ANY PAINT IS GWB.
- CONSULT WITH ARCHITECT REGARDING ANY DISCREPANCIES OR OMISSIONS.
- ALL GYP SOFFITS AND CEILINGS ARE TO BE PAINTED PT-01 U.N.O. RE: RCP ENLARGED PLANS FOR ACCENT COLOR AND EXTENTS.
- IN THE EVENT OF UNCLEAR OR CONFLICTING INFORMATION, ARCHITECT SHALL BE CONTACTED FOR CLARIFICATION.
- ALL EXISTING WALL SURFACE EXISTING TO REMAIN SHALL BE SCRAPED, SPACKLED, PATCHED, CLEANED OR OTHERWISE PREPARED TO RECEIVE NEW PAINT WITHOUT NOTICEABLE IMPERFECTION.
- U.O.N. PAINT METAL DOORS AND DOOR FRAMES PT-04. RE: FINISH PLANS AND ELEVATIONS FOR ANY DOORS RECEIVING ACCENT PAINT COLORS.
- BUILDING TO REMAIN OPEN AND OPERATIONAL DURING CONSTRUCTION. SEE PHASING PLANS FOR DETAILS.
- EXTEND FLOOR FINISHES UNDER MILLWORK & INTO RECESSES.
- CARPET INSTALLATION SHALL COMPLY WITH THE WORKMANSHIP GUIDELINES AS PUBLISHED BY THE AMERICAN CARPET INSTITUTES LATEST EDITION AND SHALL BE IN STRICT ACCORDANCE WITH THE MANUFACTURERS RECOMMENDATIONS. PROVIDING AN ATTRACTIVE, WRINKLE-FREE APPEARANCE. CARPET SEAMS SHALL BE BUTT MATCHED RUNNING IN THE SAME DIRECTION.
- PROVIDE FLASH-PATCH FLOOR IN ALL AREAS WHERE FLOOR IS NOT LEVEL OR TRUE PRIOR TO FLOORING INSTALLATION OF NEW MATERIALS.
- GENERAL CONTRACTOR TO SCRAPE EXISTING FLOOR SLAB FREE OF SCREWS, ADHESIVE & OTHER MISCELLANEOUS MATERIALS FOR SMOOTH, EVEN FINISH.
- FLOORING TRANSITIONS AT CENTER OF DOOR OPENINGS. RE: INTERIOR DETAILS SHEET, A-901. VERIFY ALL LOCATIONS ON SITE.
- UNLESS OTHERWISE NOTED PAINT WOOD BASE PT-04.
- UNLESS OTHERWISE NOTED PAINT WALLS TYPICAL FIELD PT-06.
- COORDINATE WALL PROTECTION PANEL SEAM LOCATIONS IN FIELD.
- CONFIRM CORNER GUARD LOCATIONS AND QUANTITIES IN FIELD.
- GENERAL CONTRACTOR IS RESPONSIBLE FOR THE MOVING OF FURNITURE, EQUIPMENT, AND SHELVING FROM AREAS RECEIVING NEW FLOOR FINISHES. ALL MOVED ITEMS ARE TO BE STORED ON SITE AND RETURNED TO ORIGINAL LOCATIONS AFTER INSTALLATION OF NEW FLOORING.

Level B2 Room Finish Schedule

ROOM NUMBER	ROOM NAME	Floor Finish	Base Finish
B203	CORRIDOR	(E)	RB-05
B203A	CORRIDOR	(E)	RB-05
B205	CORRIDOR	(E)	RB-05
B206	ELEVATOR LOBBY	RF-01	RB-05
B207	CORE	RF-01	RB-05
B216	STAFF CORE	(E)	RB-05
B225	HALL	RF-01	RB-05
B226	CORRIDOR	(E)	RB-05
B230	CORRIDOR	(E)	RB-05
B231	CORRIDOR	(E)	RB-05
B237	PRE-FUNCTION ROOM	CPT-09	RB-05
B238	MULTI-PURPOSE ROOM	CPT-09	RB-05
B241	STAFF	CPT-09	RB-05
B241B	DRY STORAGE	CPT-09	RB-05
B243	HALL	CPT-09	RB-05
B244	STORAGE	CPT-09	RB-05
B245	GREEN ROOM	CPT-09	RB-05
B249	HOLDING	CPT-09	RB-05



LEVEL B2 - FINISH FLOOR PLAN  
1/16" = 1'-0"






SHEET NOTES	
NOTE	DESCRIPTION
S17	EXISTING FLOORING TO REMAIN, VERIFY AND DOCUMENT EXTENT IN FIELD
S19	PAINT AREA OF CEILING SOFFIT FACE AND SOFFIT SIDES ACCENT PAINT COLOR; ALL OTHER AREAS OF GYP CEILING TO BE PAINTED PT-01 EXSITING CEILING WHITE
S20	NEW WALL PROTECTION, WALL BASE, AND PAINT
S21	NEW WALL PROTECTION AT DOOR; RE: SPECS AND INSTALL DIAGRAM SHEET A-902
S23	PAINT DOOR FRAME AND DOOR ACCENT PAINT RE: FINISH PLANS AND ELEVATIONS
S24	RE: ENLARGED FINISH PLANS AND A-600 FOR STAIR PAINT LOCATIONS AT STAFF STAIR WELL
S25	AT THE STAIR CORE PAINT RAILING, HANDRAIL, STAIR STRINGER, FRONT FACE OF RISER AND BACK FACE OF RISER RE:FINISH PLANS AND ELEVATIONS
S28	ACCENT PAINT AND COLOR BLOCKING LAYOUT, COORDINATE WITH DESIGN TEAM
S29	APPLIED VINYL GRAPHIC-PLOT CUT VINYL, RE: A-600 SHEETS
S32	PAINT ELEVATOR DOOR AND DOOR FRAME ACCENT PAINT COLOR
S33	WALL PROTECTION; COORDINATE PANEL SEEM LOCATIONS IN FIELD
S46	ALTERNATE #1: PRICE INSTALLATION OF RF-01 AND NEW WALL BASE RB-05 AND ALL FLOORING TRANSITIONS IN THIS AREA AS A SEPARATE LINE ITEM; INCLUDE DEMOLITION OF EXISTING FLOOR AND ALL REQUIRED FLOOR PREP TO ACCEPT NEW MATERIAL

FLOORING LEGEND



WALL FINISH LEGEND



GENERAL NOTES:


- SEE FINISH LEGEND AND RCP'S FOR ADDITIONAL INFORMATION.
- CONTRACTOR TO VERIFY ALL APPROPRIATE INSTALLATION & CONSTRUCTION DETAILS & ABILITY TO INSTALL PER DESIGN INTENT. PLEASE VERIFY ANY QUESTIONS AND/OR DISCREPANCIES WITH DESIGNER PRIOR TO CONSTRUCTION OR OMISSIONS.
- UNO THE SUBSTRATE FOR ANY PAINT IS GWB.
- CONSULT WITH ARCHITECT REGARDING ANY DISCREPANCIES OR OMISSIONS.
- ALL GYP SOFFITS AND CEILINGS ARE TO BE PAINTED PT-01 U.N.O. RE: RCP. ENLARGED PLANS FOR ACCENT COLOR AND EXTENTS.
- IN THE EVENT OF UNCLEAR OR CONFLICTING INFORMATION, ARCHITECT SHALL BE CONTACTED FOR CLARIFICATION.
- ALL EXISTING WALL SURFACE EXISTING TO REMAIN SHALL BE SCRAPED, SPACKLED, PATCHED, CLEANED OR OTHERWISE PREPARED TO RECEIVE NEW PAINT WITHOUT NOTICEABLE IMPERFECTION.
- U.O.N. PAINT METAL DOORS AND DOOR FRAMES PT-04, RE: FINISH PLANS AND ELEVATIONS FOR ANY DOORS RECEIVING ACCENT PAINT COLORS.
- BUILDING TO REMAIN OPEN AND OPERATIONAL DURING CONSTRUCTION. SEE PHASING PLANS FOR DETAILS.
- EXTEND FLOOR FINISHES UNDER MILLWORK & INTO RECESSES.
- CARPET INSTALLATION SHALL COMPLY WITH THE WORKMANSHIP GUIDELINES AS PUBLISHED BY THE AMERICAN CARPET INSTITUTES LATEST EDITION AND SHALL BE IN STRICT ACCORDANCE WITH THE MANUFACTURER'S RECOMMENDATIONS, PROVIDING AN ATTRACTIVE, WRINKLE-FREE APPEARANCE. CARPET SEAMS SHALL BE BUTT MATCHED RUNNING IN THE SAME DIRECTION.
- PROVIDE FLASH-PATCH FLOOR IN ALL AREAS WHERE FLOOR IS NOT LEVEL OR TRUE PRIOR TO FLOORING INSTALLATION OF NEW MATERIALS.
- GENERAL CONTRACTOR TO SCRAPE EXISTING FLOOR SLAB FREE OF SCREWS, ADHESIVE & OTHER MISCELLANEOUS MATERIALS FOR SMOOTH, EVEN FINISH.
- FLOORING TRANSITIONS AT CENTER OF DOOR OPENINGS, RE: INTERIOR DETAILS SHEET, A-901, VERIFY ALL LOCATIONS ON SITE.
- UNLESS OTHERWISE NOTED PAINT WOOD BASE PT-04.
- UNLESS OTHERWISE NOTED PAINT WALLS TYPICAL FIELD PT-06.
- COORDINATE WALL PROTECTION PANEL SEAM LOCATIONS IN FIELD.
- CONFIRM CORNER GUARD LOCATIONS AND QUANTITIES IN FIELD.
- GENERAL CONTRACTOR IS RESPONSIBLE FOR THE MOVING OF FURNITURE, EQUIPMENT, AND SHELVING FROM AREAS RECEIVING NEW FLOOR FINISHES. ALL MOVED ITEMS ARE TO BE STORED ON SITE AND RETURNED TO ORIGINAL LOCATIONS AFTER INSTALLATION OF NEW FLOORING.

studiotrope  
design collective

OWNER  
City and County of Denver  
Department of Public Works  
201 W Colfax Ave., Denver, CO 80202  
ARCHITECT / INTERIORS / GRAPHICS  
studiotrope Design Collective  
2945 Wilson St. Denver, CO 80205  
303.308.1144

PROJECT  
DENVER CENTRAL LIBRARY  
INTERIOR ENHANCEMENTS PROJECT  
BID DOCUMENTS  
10 West 14th Ave. Plwy  
Denver, CO 80204  
PROJECT NO: 2306A


ISSUE DATE  
1 01/31/2024  
PHASE / REV NAME  
BID DOCUMENTS



LEVEL B2 ENLARGED PLANS AND ELEVATIONS


A-9B21

LEVEL B2 ENLARGED RCP  
1/4" = 1'-0"





LEVEL B2 - ENLARGED PLAN  
1/4" = 1'-0"






FLOORING LEGEND



WALL FINISH LEGEND



GENERAL NOTES:

- SEE FINISH LEGEND AND RCP'S FOR ADDITIONAL INFORMATION.
- CONTRACTOR TO VERIFY ALL APPROPRIATE INSTALLATION & CONSTRUCTION DETAILS & ABILITY TO INSTALL PER DESIGN INTENT. PLEASE VERIFY ANY QUESTIONS AND/OR DISCREPANCIES WITH DESIGNER PRIOR TO CONSTRUCTION.
- UNO THE SUBSTRATE FOR ANY PAINT IS GWB.
- CONSULT WITH ARCHITECT REGARDING ANY DISCREPANCIES OR OMISSIONS.
- ALL GYP SOFFITS AND CEILINGS ARE TO BE PAINTED PT-01 U.N.O. RE: RCP ENLARGED PLANS FOR ACCENT COLOR AND EXTENTS.
- IN THE EVENT OF UNCLEAR OR CONFLICTING INFORMATION, ARCHITECT SHALL BE CONTACTED FOR CLARIFICATION.
- ALL EXISTING WALL SURFACE EXISTING TO REMAIN SHALL BE SCRAPED, SPACKLED, PATCHED, CLEANED OR OTHERWISE PREPARED TO RECEIVE NEW PAINT WITHOUT NOTICEABLE IMPERFECTION.
- U.O.N. PAINT METAL DOORS AND DOOR FRAMES PT-04, RE: FINISH PLANS AND ELEVATIONS FOR ANY DOORS RECEIVING ACCENT PAINT COLORS.
- BUILDING TO REMAIN OPEN AND OPERATIONAL DURING CONSTRUCTION. SEE PHASING PLANS FOR DETAILS.
- EXTEND FLOOR FINISHES UNDER MILLWORK & INTO RECESSES.
- CARPET INSTALLATION SHALL COMPLY WITH THE WORKMANSHIP GUIDELINES AS PUBLISHED BY THE AMERICAN CARPET INSTITUTES LATEST EDITION AND SHALL BE IN STRICT ACCORDANCE WITH THE MANUFACTURER'S RECOMMENDATIONS, PROVIDING AN ATTRACTIVE, WRINKLE-FREE APPEARANCE. CARPET SEAMS SHALL BE BUTT MATCHED, RUNNING IN THE SAME DIRECTION.
- PROVIDE FLASH-PATCH FLOOR IN ALL AREAS WHERE FLOOR IS NOT LEVEL OR TRUE PRIOR TO FLOORING INSTALLATION OF NEW MATERIALS.
- GENERAL CONTRACTOR TO SCRAPE EXISTING FLOOR SLAB FREE OF SCREWS, ADHESIVE & OTHER MISCELLANEOUS MATERIALS FOR SMOOTH, EVEN FINISH.
- FLOORING TRANSITIONS AT CENTER OF DOOR OPENINGS. RE: INTERIOR DETAILS SHEET, A-901, VERIFY ALL LOCATIONS ON SITE.
- UNLESS OTHERWISE NOTED PAINT WOOD BASE PT-04.
- UNLESS OTHERWISE NOTED PAINT WALLS TYPICAL FIELD PT-06.
- COORDINATE WALL PROTECTION PANEL SEAM LOCATIONS IN FIELD.
- CONFIRM CORNER GUARD LOCATIONS AND QUANTITIES IN FIELD.
- GENERAL CONTRACTOR IS RESPONSIBLE FOR THE MOVING OF FURNITURE, EQUIPMENT, AND SHELVING FROM AREAS RECEIVING NEW FLOOR FINISHES. ALL MOVED ITEMS ARE TO BE STORED ON SITE AND RETURNED TO ORIGINAL LOCATIONS AFTER INSTALLATION OF NEW FLOORING.

SHEET NOTES

NOTE	DESCRIPTION
S23	PAINT DOOR FRAME AND DOOR ACCENT PAINT RE: FINISH PLANS AND ELEVATIONS
S31	COMPACT SHELVING AND RAILS TO BE REMOVOCED UNDER A SEPARATE CONTRACT
S32	PAINT ELEVATOR DOOR AND DOOR FRAME ACCENT PAINT COLOR



OWNER  
City and County of Denver  
Department of Public Works  
201 W Colfax Ave., Denver, CO 80202

ARCHITECT / INTERIORS /  
STUDIOPTROPE  
303.308.1144

CIVIL ENGINEER  
Elevation Consulting  
8315 W 4th Ave, Lakewood, CO 80226  
303.913.3543

LANDSCAPE ARCHITECT  
Mundus Bishop  
1525 Raleigh St #310, Denver, CO 80204  
303.477.5244

STRUCTURAL ENGINEER  
AECOM  
717 17th St #1650, Denver, CO 80202  
303.228.3000

Integral Engineering  
6255 E Peakview Pl, Centennial, CO 80111  
303.884.1703

MEP ENGINEER  
AECOM  
717 17th St #1650, Denver, CO 80202  
303.228.3000

RJSA  
2590 Walnut St., Denver, CO 80205  
720.598.0774

FIRE PROTECTION  
AECOM  
717 17th St #1650, Denver, CO 80202  
303.228.3000

SUSTAINABILITY  
Ambient Energy  
1449 7th St suite 440, Denver, CO 80204  
303.278.1332

LOW VOLTAGE / ACOUSTICAL /  
SECURITY  
K2 Audio  
5777 Central Ave #225, Boulder, CO 80301  
303.865.5500

ADA CONSULTANT  
Meeting the Challenge  
3630 Simton Road, Suite 103  
Colorado Springs, CO 80907  
719.444.0252

ELEVATOR CONSULTANT  
Lerch Bates  
9780 S Meridian Blvd Suite 450  
Englewood, CO 80112  
303.795.7956

LIBRARY CONSULTANTS  
Radix Design

Cornelius (Kin) Dubois  
Michael Murphy


PERMIT EXPEDITER  
Service 1st Permits  
331 14th St., Suite 200  
Denver, CO 80202  
720.498.7111

DENVER CENTRAL  
LIBRARY  
FCAP INTERIOR ENHANCEMENT  
10 West 14th Ave. Pkwy  
Denver, CO 80204


PROJECT  
1 01/31/2024 BID DOCUMENTS

PHASE / REV NAME


PROJECT NO: 2306A




6 LEVEL B2 - MOBILE SERVICES ENTRANCE  
A-9B23 1/4" = 1'-0"




7 LEVEL B2 - STORAGE ROOM ENTRANCE  
A-9B23 1/4" = 1'-0"




10 LEVEL B2 - CORRIDOR ACCENT  
A-9B23 1/4" = 1'-0"




5 LEVEL B2 - ACQUISITIONS RECEIVING ENTRANCE  
A-9B23 1/4" = 1'-0"




8 LEVEL B2 - EAST ELEVATOR LOBBY ENTRANCE  
A-9B23 1/4" = 1'-0"



CONCEPT IMAGES  
3\"/>



9 LEVEL B2 - CORRIDOR ACCENT X  
A-9B23 1/4" = 1'-0"



LEVEL B2 INTERIOR ELEVATIONS

A-9B23



OWNER  
City and County of Denver  
Department of Public Works  
201 W Colfax Ave., Denver, CO 80202

ARCHITECT / INTERIORS /  
ELEVATION CONSULTING  
Studio Tropé Design Collective  
201 W Colfax Ave., Denver, CO 80202  
303.308.1144

CIVIL ENGINEER  
Elevation Consulting  
8315 W 4th Ave, Lakewood, CO 80226  
303.913.3543

LANDSCAPE ARCHITECT  
Mundus Bishop  
1525 Raleigh St #310, Denver, CO 80204  
303.477.5244

STRUCTURAL ENGINEER  
AECOM  
717 17th St #1650, Denver, CO 80202  
303.228.3000

Integral Engineering  
6255 E Peakview Pl, Centennial, CO 80111  
303.824.7003

MEP ENGINEER  
AECOM  
717 17th St #1650, Denver, CO 80202  
303.228.3000

RJSA  
2590 Walnut St., Denver, CO 80205  
720.598.0774

FIRE PROTECTION  
AECOM  
717 17th St #1650, Denver, CO 80202  
303.228.3000

SUSTAINABILITY  
Ambient Energy  
1449 7th St suite 440, Denver, CO 80204  
303.278.1332

LOW VOLTAGE / ACOUSTICAL /  
SECURITY  
K2 Audio  
5777 Central Ave #225, Boulder, CO 80301  
303.865.5500

ADA CONSULTANT  
Meeting the Challenge  
3630 Simton Road, Suite 103  
Colorado Springs, CO 80907  
719.444.0252

ELEVATOR CONSULTANT  
Lerch Bates  
9780 S Meridian Blvd Suite 450  
Englewood, CO 80112  
303.795.7956

LIBRARY CONSULTANTS  
Radix Design

Cornelius (Kin) Dubois  
Michael Murphy


PERMIT EXPEDITER  
Service 1st Permits  
331 14th St., Suite 200  
Denver, CO 80202  
720.498.7111

DENVER CENTRAL  
LIBRARY  
FCAP INTERIOR ENHANCEMENT  
10 West 14th Ave, Pkwy  
Denver, CO 80204


PROJECT NO: 2306A

ISSUE DATE: 01/31/2024


PHASE / REV NAME: BID DOCUMENTS




6 B2 NORTH ELEVATION  
1/4" = 1'-0"




5 LEVEL B2 SOUTH ELEVATION  
1/4" = 1'-0"




4 LEVEL B2 - ELEVATOR  
1/4" = 1'-0"



3 LEVEL B2 - ELEVATOR LOBBY GRAPHICS  
1/4" = 1'-0"



2 LEVEL B2 - ELEVATOR LOBBY  
1/4" = 1'-0"



1 LEVEL B2 - STAFF ENTRANCE FROM LOADING DOCK  
1/4" = 1'-0"


LEVEL B2 INTERIOR ELEVATIONS

A-9B24












FLOORING LEGEND



WALL FINISH LEGEND



GENERAL NOTES:

- SEE FINISH LEGEND AND RCP'S FOR ADDITIONAL INFORMATION.
- CONTRACTOR TO VERIFY ALL APPROPRIATE INSTALLATION & CONSTRUCTION DETAILS & ABILITY TO INSTALL PER DESIGN INTENT. PLEASE VERIFY ANY QUESTIONS AND/OR DISCREPANCIES WITH DESIGNER PRIOR TO CONSTRUCTION UNO THE SUBSTRATE FOR ANY PAINT IS GWB.
- CONSULT WITH ARCHITECT REGARDING ANY DISCREPANCIES OR OMISSIONS.
- ALL GYP SOFFITS AND CEILINGS ARE TO BE PAINTED PT-01 U.O.N. RE: RCP. ENLARGED PLANS FOR ACCENT COLOR AND EXTENTS.
- IN THE EVENT OF UNCLEAR OR CONFLICTING INFORMATION, ARCHITECT SHALL BE CONTACTED FOR CLARIFICATION.
- ALL EXISTING WALL SURFACE EXISTING TO REMAIN SHALL BE SCRAPED, SPACKLED, PATCHED, CLEANED OR OTHERWISE PREPARED TO RECEIVE NEW PAINT WITHOUT NOTICEABLE IMPERFECTION.
- U.O.N. PAINT METAL DOORS AND DOOR FRAMES PT-04. RE: FINISH PLANS AND ELEVATIONS FOR ANY DOORS RECEIVING ACCENT PAINT COLORS.
- BUILDING TO REMAIN OPEN AND OPERATIONAL DURING CONSTRUCTION. SEE PHASING PLANS FOR DETAILS.
- EXTEND FLOOR FINISHES UNDER MILLWORK & INTO RECESSES.
- CARPET INSTALLATION SHALL COMPLY WITH THE AMERICAN CARPET INSTITUTES LATEST EDITION AND SHALL BE IN STRICT ACCORDANCE WITH THE MANUFACTURER'S RECOMMENDATIONS, PROVIDING AN ATTRACTIVE, WRINKLE-FREE APPEARANCE. CARPET SEAMS SHALL BE BUTT MATCHED RUNNING IN THE SAME DIRECTION.
- PROVIDE FLASHPATCH FLOOR IN ALL AREAS WHERE FLOOR IS NOT LEVEL OR TRUE PRIOR TO FLOORING INSTALLATION OF NEW MATERIALS.
- GENERAL CONTRACTOR TO SCRAPE EXISTING FLOOR SLAB FREE OF SCREWS, ADHESIVE & OTHER MISCELLANEOUS MATERIALS FOR SMOOTH, EVEN FINISH.
- FLOORING TRANSITIONS AT CENTER OF DOOR OPENINGS. RE: INTERIOR DETAILS SHEET, A-901, VERIFY ALL LOCATIONS ON SITE.
- UNLESS OTHERWISE NOTED PAINT WOOD BASE PT-04.
- UNLESS OTHERWISE NOTED PAINT WALLS TYPICAL FIELD PT-06.
- COORDINATE WALL PROTECTION PANEL SEAM LOCATIONS IN FIELD.
- CONFIRM CORNER GUARD LOCATIONS AND QUANTITIES IN FIELD.
- GENERAL CONTRACTOR IS RESPONSIBLE FOR THE MOVING OF FURNITURE, EQUIPMENT, AND SHELVE FROM AREAS RECEIVING NEW FLOOR FINISHES. ALL MOVED ITEMS ARE TO BE STORED ON SITE AND RETURNED TO ORIGINAL LOCATIONS AFTER INSTALLATION OF NEW FLOORING.


SHEET NOTES

NOTE	DESCRIPTION
S15	ALIGN FINISH FLOOR TO CORNER OF WALL
S17	EXISTING FLOORING TO REMAIN, VERIFY AND DOCUMENT EXTENT IN FIELD
S29	APPLIED VINYL GRAPHIC-LOT CUT VINYL, RE: A-600 SHEETS


Level 01 Room Finish Schedule

Room Number	Room Number	Floor Finish	Base Finish
116	STAFF CORE	RF-01	RB-05
127	COMMUNITY RESOURCE	CPT-12	(E)
128	STAFF ENTRANCE	RF-01	RB-05
165	CORRIDOR	(E)	(E)
169	REFERENCE ENTRY HALL	CPT-10	(E)
170	REFERENCE READING ROOM	CPT-10	(E)
172	REFERENCE DESK	CPT-10	(E)
172K	OFFICE	CPT-11	(E)
172L	STORAGE	CPT-11	(E), RB-05
177	BOOKSTORE	CPT-11	(E), RB-05
187	CIRCULATION WORKROOM	CPT-09	(E), RB-05
190	CIRCULATION MANAGER	CPT-09	RB-05
192	STORAGE	RF-01	RB-05







9  
A-911  
LEVEL 01 WEST CORE ENLARGED RCP PLAN  
1/4" = 1'-0"




8  
A-911  
CORE 116 - SOUTH ELEVATION  
1/4" = 1'-0"




7  
A-911  
L01 WEST CORE - STAFF ENTRANCE EAST WALL  
1/4" = 1'-0"




6  
A-911  
STAFF ENTRANCE 128 - WEST ELEVATION  
1/4" = 1'-0"




5  
A-911  
CORE 116 - NORTH ELEVATION  
1/4" = 1'-0"



4  
A-911  
L01 ELEVATOR LOBBY - WEST WALL  
1/4" = 1'-0"



3  
A-911  
L01 ELEVATOR LOBBY - ALCOVE INTERIOR EAST WALL  
1/4" = 1'-0"




2  
A-911  
L01 ELEVATOR LOBBY - EAST WALL OPENING  
1/4" = 1'-0"

## INTERIOR ELEVATION LEGEND

NEW ELEMENTS

## FLOORING LEGEND



FLOOR FINISH TRANSITION

PATTERN OR GRAIN DIRECTION OF FLOORING

OUTLINE OF BUILDING FOOTPRINT ABOVE

## WALL FINISH LEGEND

HATCH INDICATES PAINT SCOPE OF WALL OR CEILING; VARIES FLOOR TO FLOOR

PAINT / WALL FINISH

## LEGEND: REFLECTED CEILING PLAN

EXISTING GWB CEILING TO REMAIN

## GENERAL NOTES:

- SEE FINISH LEGEND AND RCP'S FOR ADDITIONAL INFORMATION.
- CONTRACTOR TO VERIFY ALL APPROPRIATE INSTALLATION & CONSTRUCTION DETAILS & ABILITY TO INSTALL PER DESIGN INTENT. PLEASE VERIFY ANY QUESTIONS AND/OR DISCREPANCIES WITH DESIGNER PRIOR TO CONSTRUCTION.
- UNO THE SUBSTRATE FOR ANY PAINT IS GWB.
- CONSULT WITH ARCHITECT REGARDING ANY DISCREPANCIES OR OMISSIONS.
- ALL GYP SOFFITS AND CEILINGS ARE TO BE PAINTED PT-01 U.O.N. RE: RCP ENLARGED PLANS FOR ACCENT COLOR AND EXTENTS.
- IN THE EVENT OF UNCLEAR OR CONFLICTING INFORMATION, ARCHITECT SHALL BE CONTACTED FOR CLARIFICATION.
- ALL EXISTING WALL SURFACE EXISTING TO REMAIN SHALL BE SCRAPED, SPACKLED, PATCHED, CLEANED OR OTHERWISE PREPARED TO RECEIVE NEW PAINT WITHOUT NOTICEABLE IMPERFECTION.
- U.O.N. PAINT METAL DOORS AND DOOR FRAMES PT-04, RE: FINISH PLANS AND ELEVATIONS FOR ANY DOORS RECEIVING ACCENT PAINT COLORS.
- BUILDING TO REMAIN OPEN AND OPERATIONAL DURING CONSTRUCTION. SEE PHASING PLANS FOR DETAILS.
- EXTEND FLOOR FINISHES UNDER MILLWORK & INTO RECESSES.
- CARPET INSTALLATION SHALL COMPLY WITH THE WORKMANSHIP GUIDELINES AS PUBLISHED BY THE AMERICAN CARPET INSTITUTES LATEST EDITION AND SHALL BE IN STRICT ACCORDANCE WITH THE MANUFACTURERS RECOMMENDATIONS, PROVIDING AN ATTRACTIVE, WRINKLE-FREE APPEARANCE. CARPET SEAMS SHALL BE BUTT MATCHED RUNNING IN THE SAME DIRECTION.
- PROVIDE FLASH/PATCH FLOOR IN ALL AREAS WHERE FLOOR IS NOT LEVEL OR TRUE PRIOR TO FLOORING INSTALLATION OF NEW MATERIALS.
- GENERAL CONTRACTOR TO SCRAPE EXISTING FLOOR SLAB FREE OF SCREWS, ADHESIVE & OTHER MISCELLANEOUS MATERIALS FOR SMOOTH, EVEN FINISH.
- FLOORING TRANSITIONS AT CENTER OF DOOR OPENINGS, RE: INTERIOR DETAILS SHEET, A-901, VERIFY ALL LOCATIONS ON SITE.
- UNLESS OTHERWISE NOTED PAINT WOOD BASE PT-04.
- UNLESS OTHERWISE NOTED PAINT WALLS TYPICAL FIELD PT-06.
- COORDINATE WALL PROTECTION PANEL SEAM LOCATIONS IN FIELD.
- CONFIRM CORNER GUARD LOCATIONS AND QUANTITIES IN FIELD.
- GENERAL CONTRACTOR IS RESPONSIBLE FOR THE MOVING OF FURNITURE, EQUIPMENT, AND SHELVING FROM AREAS RECEIVING NEW FLOOR FINISHES. ALL MOVED ITEMS ARE TO BE STORED ON SITE AND RETURNED TO ORIGINAL LOCATIONS AFTER INSTALLATION OF NEW FLOORING.

## SHEET NOTES

NOTE	DESCRIPTION
S19	PAINT AREA OF CEILING SOFFIT FACE AND SOFFIT SIDES ACCENT PAINT COLOR; ALL OTHER AREAS OF GYP CEILING TO BE PAINTED PT-01 EXISTING CEILING WHITE
S20	NEW WALL PROTECTION, WALL BASE, AND PAINT
S23	PAINT DOOR FRAME AND DOOR ACCENT PAINT RE: FINISH PLANS AND ELEVATIONS
S24	RE: ENLARGED FINISH PLANS AND A-600 FOR STAIR PAINT LOCATIONS AT STAFF STAIR WELL
S25	AT THE STAIR CORE PAINT RAILING, HANDRAIL, STAIR STRINGER, FRONT FACE OF RISER AND BACK FACE OF RISER RE: FINISH PLANS AND ELEVATIONS
S29	APPLIED VINYL GRAPHIC-PLOT CUT VINYL, RE: A-600 SHEETS
S32	PAINT ELEVATOR DOOR AND DOOR FRAME ACCENT PAINT COLOR
S33	WALL PROTECTION; COORDINATE PANEL SEAM LOCATIONS IN FIELD


**studiotrope**  
design collective  
OWNER  
City and County of Denver  
Department of Public Works  
201 W Colfax Ave., Denver, CO 80202  
ARCHITECT / INTERIORS / GRAPHICS  
studiotrope Design Collective  
2445 W. 14th St., Denver, CO 80202  
303.308.1144

**DENVER CENTRAL LIBRARY**  
INTERIOR ENHANCEMENTS PROJECT  
BID DOCUMENTS  
10 West 14th Ave. Plwy  
Denver, CO 80204

ISSUE DATE: 01/31/2024  
PHASE / REV NAME: BID DOCUMENTS

PROJECT NO: 2306A

1 01/31/2024 BID DOCUMENTS



LEVEL 01 ENLARGED PLANS AND ELEVATIONS


A-911

© 2024 STUDIOTROPE, LLC  
1/31/2024 4:15:59 PM





1 1.3 1.6 2 2.5 3 4 5 5.5 6 7 8 8.5 9 10 12 14 14.5 15 15.5 16 16.5 17 18 19 20 21


E  
F  
H  
  
J  
K  
L  
  
M  
N  
  
O  
P  
  
P.6  
R  
  
S  
  
  
T  
U  
  
  
V  
V.5  
W  
X  
  
Y



FLOORING LEGEND



WALL FINISH LEGEND



GENERAL NOTES:

- SEE FINISH LEGEND AND RCP'S FOR ADDITIONAL INFORMATION.
- CONTRACTOR TO VERIFY ALL APPROPRIATE INSTALLATION & CONSTRUCTION DETAILS & ABILITY TO INSTALL PER DESIGN INTENT. PLEASE VERIFY ANY QUESTIONS AND/OR DISCREPANCIES WITH DESIGNER PRIOR TO CONSTRUCTION.
- UNO THE SUBSTRATE FOR ANY PAINT IS GWS.
- CONSULT WITH ARCHITECT REGARDING ANY DISCREPANCIES OR OMISSIONS.
- ALL GYP SOFFITS AND CEILINGS ARE TO BE PAINTED PT-01 U.N.O. RE: RCP ENLARGED PLANS FOR ACCENT COLOR AND EXTENTS.
- IN THE EVENT OF UNCLEAR OR CONFLICTING INFORMATION, ARCHITECT SHALL BE CONTACTED FOR CLARIFICATION.
- ALL EXISTING WALL SURFACE EXISTING TO REMAIN SHALL BE SCRAPED, SPACKLED, PATCHED, CLEANED OR OTHERWISE PREPARED TO RECEIVE NEW PAINT WITHOUT NOTICEABLE IMPERFECTION.
- U.O.N. PAINT METAL DOORS AND DOOR FRAMES PT-04. RE: FINISH PLANS AND ELEVATIONS FOR ANY DOORS RECEIVING ACCENT PAINT COLORS.
- BUILDING TO REMAIN OPEN AND OPERATIONAL DURING CONSTRUCTION. SEE PHASING PLANS FOR DETAILS.
- EXTEND FLOOR FINISHES UNDER MILLWORK & INTO RECESSES.
- CARPET INSTALLATION SHALL COMPLY WITH THE WORKMANSHIP GUIDELINES AS PUBLISHED BY THE AMERICAN CARPET INSTITUTES LATEST EDITION AND SHALL BE IN STRICT ACCORDANCE WITH THE MANUFACTURER'S RECOMMENDATIONS, PROVIDING AN ATTRACTIVE, WRINKLE-FREE APPEARANCE. CARPET SEAMS SHALL BE BUTT MATCHED RUNNING IN THE SAME DIRECTION.
- PROVIDE FLASH-PATCH FLOOR IN ALL AREAS WHERE FLOOR IS NOT LEVEL OR TRUE PRIOR TO FLOORING INSTALLATION OF NEW MATERIALS.
- GENERAL CONTRACTOR TO SCRAPE EXISTING FLOOR SLAB FREE OF SCREWS, ADHESIVE & OTHER MISCELLANEOUS MATERIALS FOR SMOOTH, EVEN FINISH.
- FLOORING TRANSITIONS AT CENTER OF DOOR OPENINGS. RE: INTERIOR DETAILS SHEET, A-901. VERIFY ALL LOCATIONS ON SITE.
- UNLESS OTHERWISE NOTED PAINT WOOD BASE PT-04.
- UNLESS OTHERWISE NOTED PAINT WALLS TYPICAL FIELD PT-06.
- COORDINATE WALL PROTECTION PANEL SEAM LOCATIONS IN FIELD.
- CONFIRM CORNER GUARD LOCATIONS AND QUANTITIES IN FIELD.
- GENERAL CONTRACTOR IS RESPONSIBLE FOR THE MOVING OF FURNITURE, EQUIPMENT, AND SHELVING FROM AREAS RECEIVING NEW FLOOR FINISHES. ALL MOVED ITEMS ARE TO BE STORED ON SITE AND RETURNED TO ORIGINAL LOCATIONS AFTER INSTALLATION OF NEW FLOORING.

SHEET NOTES

NOTE	DESCRIPTION
S10	NEW RUBBER FLOORING, RB-01
S37	NEW PAINT IN THIS AREA TO INCLUDE WALLS AND COLUMNS AND WOOD BASE, MATCH EXISTING PAINT COLORS


Level 02 Room Finish Schedule

Room Number	Room Name	Floor Finish	Base Finish
206	ELEVATOR LOBBY	RF-01	RB-05
216	STAFF CORE	RF-01	RB-05

LEVEL 02 OVERALL FINISH PLAN

A-920






SHEET NOTES	
NOTE	DESCRIPTION
S19	PAINT AREA OF CEILING SOFFIT FACE AND SOFFIT SIDES ACCENT PAINT COLOR; ALL OTHER AREAS OF GYP CEILING TO BE PAINTED PT-01 EXISTING CEILING WHITE
S20	NEW WALL PROTECTION, WALL BASE, AND PAINT
S23	PAINT DOOR FRAME AND DOOR ACCENT PAINT RE: FINISH PLANS AND ELEVATIONS
S24	RE: ENLARGED FINISH PLANS AND A-600 FOR STAIR PAINT LOCATIONS AT STAFF STAIR WELL
S25	AT THE STAIR CORE PAINT RAILING, HANDRAIL, STAIR STRINGER, FRONT FACE OF RISER AND BACK FACE OF RISER RE:FINISH PLANS AND ELEVATIONS
S29	APPLIED VINYL GRAPHIC-PLOT CUT VINYL, RE: A-600 SHEETS
S32	PAINT ELEVATOR DOOR AND DOOR FRAME ACCENT PAINT COLOR
S33	WALL PROTECTION; COORDINATE PANEL SEEM LOCATIONS IN FIELD

#### INTERIOR ELEVATION LEGEND

NEW ELEMENTS

#### FLOORING LEGEND



FLOOR FINISH TRANSITION

PATTERN OR GRAIN DIRECTION OF FLOORING

OUTLINE OF BUILDING FOOTPRINT ABOVE

#### WALL FINISH LEGEND

HATCH INDICATES PAINT SCOPE OF WALL OR CEILINGS; VARIES FLOOR TO FLOOR

PAINT / WALL FINISH

#### LEGEND: REFLECTED CEILING PLAN

EXISTING GWB CEILING TO REMAIN


#### GENERAL NOTES:

- SEE FINISH LEGEND AND RCP'S FOR ADDITIONAL INFORMATION.
- CONTRACTOR TO VERIFY ALL APPROPRIATE INSTALLATION & CONSTRUCTION DETAILS & ABILITY TO INSTALL PER DESIGN INTENT. PLEASE VERIFY ANY QUESTIONS AND/OR DISCREPANCIES WITH DESIGNER PRIOR TO CONSTRUCTION UNO THE SUBSTRATE FOR ANY PAINT IS GWB.
- CONSULT WITH ARCHITECT REGARDING ANY DISCREPANCIES OR OMISSIONS.
- ALL GYP SOFFITS AND CEILINGS ARE TO BE PAINTED PT-01 U.N.O. RE: RCP ENLARGED PLANS FOR ACCENT COLOR AND EXTENTS.
- IN THE EVENT OF UNCLEAR OR CONFLICTING INFORMATION, ARCHITECT SHALL BE CONTACTED FOR CLARIFICATION
- ALL EXISTING WALL SURFACE EXISTING TO REMAIN SHALL BE SCRAPPED, SPACKLED, PATCHED, CLEANED OR OTHERWISE PREPARED TO RECEIVE NEW PAINT WITHOUT NOTICEABLE IMPERFECTION
- U.O.N. PAINT METAL DOORS AND DOOR FRAMES PT-04, RE: FINISH PLANS AND ELEVATIONS FOR ANY DOORS RECEIVING ACCENT PAINT COLORS
- BUILDING TO REMAIN OPEN AND OPERATIONAL DURING CONSTRUCTION. SEE PHASING PLANS FOR DETAILS
- EXTEND FLOOR FINISHES UNDER MILLWORK & INTO RECESSES
- CARPET INSTALLATION SHALL COMPLY WITH THE WORKMANSHIP GUIDELINES AS PUBLISHED BY THE AMERICAN CARPET INSTITUTES LATEST EDITION AND SHALL BE IN STRICT ACCORDANCE WITH THE MANUFACTURER'S RECOMMENDATIONS; PROVIDING AN ATTRACTIVE, WRINKLE-FREE APPEARANCE. CARPET SEAMS SHALL BE BUTT MATCHED RUNNING IN THE SAME DIRECTION
- PROVIDE FLASH-PATCH FLOOR IN ALL AREAS WHERE FLOOR IS NOT LEVEL OR TRUE PRIOR TO FLOORING INSTALLATION OF NEW MATERIALS
- GENERAL CONTRACTOR TO SCRAPE EXISTING FLOOR SLAB FREE OF SCREWS, ADHESIVE & OTHER MISCELLANEOUS MATERIALS FOR SMOOTH, EVEN FINISH
- FLOORING TRANSITIONS AT CENTER OF DOOR OPENINGS, RE: INTERIOR DETAILS SHEET, A-901, VERIFY ALL LOCATIONS ON SITE.
- UNLESS OTHERWISE NOTED PAINT WOOD BASE PT-04
- UNLESS OTHERWISE NOTED PAINT WALLS TYPICAL FIELD PT-06
- COORDINATE WALL PROTECTION PANEL SEAM LOCATIONS IN FIELD.
- CONFIRM CORNER GUARD LOCATIONS AND QUANTITIES IN FIELD.
- GENERAL CONTRACTOR IS RESPONSIBLE FOR THE MOVING OF FURNITURE, EQUIPMENT, AND SHELVING FROM AREAS RECEIVING NEW FLOOR FINISHES. ALL MOVED ITEMS ARE TO BE STORED ON SITE AND RETURNED TO ORIGINAL LOCATIONS AFTER INSTALLATION OF NEW FLOORING

#### 7 LEVEL 02 WEST CORE ENLARGED RCP PLAN

A-921


1/4" = 1'-0"



#### 6 CORE 216 - SOUTH ELEVATION

A-921


1/4" = 1'-0"



#### 5 CORE 216 - NORTH ELEVATION

A-921


1/4" = 1'-0"



#### 4 L02 ELEVATOR LOBBY - ALCOVE EAST WALL

A-921


1/4" = 1'-0"



#### 3 L02 ELEVATOR LOBBY - EAST WALL OPENING

A-921


1/4" = 1'-0"



#### 2 L02 ELEVATOR LOBBY - WEST WALL

A-921

1/4" = 1'-0"



#### 1 LEVEL 02 - WEST CORE ENLARGED PLAN

A-921

1/4" = 1'-0"

#### DENVER CENTRAL LIBRARY

#### INTERIOR ENHANCEMENTS PROJECT

#### BID DOCUMENTS

10 West 14th Ave. Plwy  
Denver, CO 80204

PROJECT

ISSUE DATE

01/31/2024

BID DOCUMENTS

PHASE / REV NAME

2306A

PROJECT NO: 2306A

1

01/31/2024

BID DOCUMENTS

PHASE / REV NAME

2306A

PROJECT NO: 2306A

1

01/31/2024

BID DOCUMENTS

PHASE / REV NAME

2306A

PROJECT NO: 2306A

1

01/31/2024

BID DOCUMENTS

PHASE / REV NAME

2306A

PROJECT NO: 2306A

1

01/31/2024

BID DOCUMENTS

PHASE / REV NAME

2306A

PROJECT NO: 2306A

1

01/31/2024

BID DOCUMENTS

PHASE / REV NAME

2306A

PROJECT NO: 2306A

1

01/31/2024

BID DOCUMENTS

PHASE / REV NAME

2306A

PROJECT NO: 2306A

1

01/31/2024

BID DOCUMENTS

PHASE / REV NAME

2306A

PROJECT NO: 2306A

1

01/31/2024

BID DOCUMENTS

PHASE / REV NAME

2306A

PROJECT NO: 2306A

1

01/31/2024

BID DOCUMENTS

PHASE / REV NAME

2306A

PROJECT NO: 2306A

1

01/31/2024

BID DOCUMENTS

PHASE / REV NAME

2306A

PROJECT NO: 2306A

1

01/31/2024

BID DOCUMENTS

PHASE / REV NAME

2306A

PROJECT NO: 2306A

1

01/31/2024

BID DOCUMENTS

PHASE / REV NAME

2306A

PROJECT NO: 2306A

1

01/31/2024

BID DOCUMENTS

PHASE / REV NAME

2306A

PROJECT NO: 2306A

1

01/31/2024

BID DOCUMENTS

PHASE / REV NAME

2306A

PROJECT NO: 2306A

1

01/31/2024

BID DOCUMENTS

PHASE / REV NAME

2306A

PROJECT NO: 2306A

1

01/31/2024

BID DOCUMENTS

PHASE / REV NAME

2306A

PROJECT NO: 2306A

1

01/31/2024

BID DOCUMENTS

PHASE / REV NAME

2306A

PROJECT NO: 2306A

1

01/31/2024

BID DOCUMENTS

PHASE / REV NAME

2306A

PROJECT NO: 2306A

1

01/31/2024

BID DOCUMENTS

PHASE / REV NAME

2306A

PROJECT NO: 2306A

1

01/31/2024

BID DOCUMENTS

PHASE / REV NAME

2306A

PROJECT NO: 2306A

1

01/31/2024

BID DOCUMENTS

PHASE / REV NAME

2306A

PROJECT NO: 2306A

1

01/31/2024

BID DOCUMENTS

PHASE / REV NAME

2306A

PROJECT NO: 2306A

1

01/31/2024

BID DOCUMENTS

PHASE / REV NAME

2306A

PROJECT NO: 2306A

1

01/31/2024

BID DOCUMENTS

PHASE / REV NAME

2306A

PROJECT NO: 2306A

1

01/31/2024

BID DOCUMENTS

PHASE / REV NAME

2306A

PROJECT NO: 2306A

1

01/31/2024

BID DOCUMENTS

PHASE / REV NAME

2306A

PROJECT NO: 2306A

1

01/31/2024

BID DOCUMENTS

PHASE / REV NAME

2306A

PROJECT NO: 2306A

1

01/31/2024

BID DOCUMENTS

PHASE / REV NAME

2306A

PROJECT NO: 2306A

1

01/31/2024

BID DOCUMENTS

PHASE / REV NAME

2306A

PROJECT NO: 2306A

1

01/31/2024

BID DOCUMENTS

PHASE / REV NAME

2306A

PROJECT NO: 2306A

1

01/31/2024

BID DOCUMENTS

PHASE / REV NAME

2306A

PROJECT NO: 2306A

1

01/31/2024

BID DOCUMENTS

PHASE / REV NAME

2306A

PROJECT NO: 2306A

1

01/31/2024

BID DOCUMENTS

PHASE / REV NAME

2306A

PROJECT NO: 2306A

1

01/31/2024

BID DOCUMENTS

PHASE / REV NAME

2306A

PROJECT NO: 2306A

1

01/31/2024

BID DOCUMENTS

PHASE / REV NAME

2306A

PROJECT NO: 2306A

1

01/31/2024


BID DOCUMENTS

PHASE / REV NAME





3 4 5 5.5 6 7 8 8.5 9 10 12 13 14.5 15.5 16.5 21


E  
F  
H  
  
J  
K  
L  
  
M  
N  
  
O  
P  
  
P.6  
R  
  
S  
  
T  
U



FLOORING LEGEND



WALL FINISH LEGEND



GENERAL NOTES:

- SEE FINISH LEGEND AND RCP'S FOR ADDITIONAL INFORMATION.
- CONTRACTOR TO VERIFY ALL APPROPRIATE INSTALLATION & CONSTRUCTION DETAILS & ABILITY TO INSTALL PER DESIGN INTENT. PLEASE VERIFY ANY QUESTIONS AND/OR DISCREPANCIES WITH DESIGNER PRIOR TO CONSTRUCTION UNO THE SUBSTRATE FOR ANY PAINT IS DWE.
- CONSULT WITH ARCHITECT REGARDING ANY DISCREPANCIES OR OMISSIONS.
- ALL GYP SOFFITS AND CEILINGS ARE TO BE PAINTED PT-01 U.N.O. RE: RCP ENLARGED PLANS FOR ACCENT COLOR AND EXTENTS.
- IN THE EVENT OF UNCLEAR OR CONFLICTING INFORMATION, ARCHITECT SHALL BE CONTACTED FOR CLARIFICATION.
- ALL EXISTING WALL SURFACE EXISTING TO REMAIN SHALL BE SCRAPED, SPACKLED, PATCHED, CLEANED OR OTHERWISE PREPARED TO RECEIVE NEW PAINT WITHOUT NOTICEABLE IMPERFECTION.
- U.O.N. PAINT METAL DOORS AND DOOR FRAMES PT-04. RE: FINISH PLANS AND ELEVATIONS FOR ANY DOORS RECEIVING ACCENT PAINT COLORS.
- BUILDING TO REMAIN OPEN AND OPERATIONAL DURING CONSTRUCTION, SEE PHASING PLANS FOR DETAILS.
- EXTEND FLOOR FINISHES UNDER MILLWORK & INTO RECESSES.
- CARPET INSTALLATION SHALL COMPLY WITH THE WORKMANSHIP GUIDELINES AS PUBLISHED BY THE AMERICAN CARPET INSTITUTES LATEST EDITION AND SHALL BE IN STRICT ACCORDANCE WITH THE MANUFACTURERS RECOMMENDATIONS, PROVIDING AN ATTRACTIVE, WRINKLE-FREE APPEARANCE. CARPET SEAMS SHALL BE BUTT MATCHED RUNNING IN THE SAME DIRECTION.
- PROVIDE FLASH-PATCH FLOOR IN ALL AREAS WHERE FLOOR IS NOT LEVEL OR TRUE PRIOR TO FLOORING INSTALLATION OF NEW MATERIALS.
- GENERAL CONTRACTOR TO SCRAPE EXISTING FLOOR SLAB FREE OF SCREWS, ADHESIVE & OTHER MISCELLANEOUS MATERIALS FOR SMOOTH, EVEN FINISH.
- FLOORING TRANSITIONS AT CENTER OF DOOR OPENINGS, RE: INTERIOR DETAILS SHEET, A-901. VERIFY ALL LOCATIONS ON SITE.
- UNLESS OTHERWISE NOTED PAINT WOOD BASE PT-04.
- UNLESS OTHERWISE NOTED PAINT WALLS TYPICAL FIELD PT-06.
- COORDINATE WALL PROTECTION PANEL SEAM LOCATIONS IN FIELD.
- CONFIRM CORNER GUARD LOCATIONS AND QUANTITIES IN FIELD.
- GENERAL CONTRACTOR IS RESPONSIBLE FOR THE MOVING OF FURNITURE, EQUIPMENT, AND SHELVING FROM AREAS RECEIVING NEW FLOOR FINISHES. ALL MOVED ITEMS ARE TO BE STORED ON SITE AND RETURNED TO ORIGINAL LOCATIONS AFTER INSTALLATION OF NEW FLOORING.


SHEET NOTES

NOTE	DESCRIPTION
S10	NEW RUBBER FLOORING, RB-01
S35	RESILENT STAIR RISER RSR-01
S37	NEW PAINT IN THIS AREA TO INCLUDE WALLS AND COLUMNS AND WOOD BASE. MATCH EXISTING PAINT COLORS


Level 03 Room Finish Schedule

Room Number	Room Name	Floor Finish	Base Finish
306	ELEVATOR LOBBY	RF-01	RB-05
316	STAFF CORE	RF-01	RB-05







7  
A-931  
LEVEL 03 WEST CORE ENLARGED RCP PLAN  
1/4" = 1'-0"




6  
A-931  
CORE 316 - SOUTH ELEVATION  
1/4" = 1'-0"




5  
A-931  
CORE 316 - NORTH ELEVATION  
1/4" = 1'-0"



4  
A-931  
L03 ELEVATOR LOBBY - WEST WALL  
1/4" = 1'-0"



3  
A-931  
L03 ELEVATOR LOBBY - ALCOVE EAST WALL  
1/4" = 1'-0"



2  
A-931  
L03 ELEVATOR LOBBY - EAST WALL OPENING  
1/4" = 1'-0"

INTERIOR ELEVATION LEGEND

NEW ELEMENTS

FLOORING LEGEND

CPT-01

CPT-09

CPT-10

CPT-11

CPT-12

CPT-13

RF-01

FLOOR FINISH TRANSITION

PATTERN OR GRAIN  
DIRECTION OF FLOORING

OUTLINE OF BUILDING  
FOOTPRINT ABOVE

WALL FINISH LEGEND

HATCH INDICATES PAINT  
SCOPE OF WALL OR  
CEILINGS; VARIES FLOOR TO  
FLOOR

PAINT / WALL FINISH

PT-XX

LEGEND: REFLECTED CEILING PLAN

EXISTING GWB CEILING TO REMAIN

GENERAL NOTES:

1. SEE FINISH LEGEND AND RCP'S FOR ADDITIONAL INFORMATION.

2. CONTRACTOR TO VERIFY ALL APPROPRIATE INSTALLATION & CONSTRUCTION DETAILS & ABILITY TO INSTALL PER DESIGN INTENT. PLEASE VERIFY ANY QUESTIONS AND/OR DISCREPANCIES WITH DESIGNER PRIOR TO CONSTRUCTION.

3. UNO THE SUBSTRATE FOR ANY PAINT IS GWB.

4. CONSULT WITH ARCHITECT REGARDING ANY DISCREPANCIES OR OMISSIONS.

5. ALL GYP SOFFITS AND CEILINGS ARE TO BE PAINTED PT-01 U.N.O. RE: RCP ENLARGED PLANS FOR ACCENT COLOR AND EXTENTS.

6. IN THE EVENT OF UNCLEAR OR CONFLICTING INFORMATION, ARCHITECT SHALL BE CONTACTED FOR CLARIFICATION.

7. ALL EXISTING WALL SURFACE EXISTING TO REMAIN SHALL BE SCRAPED, SPACKLED, PATCHED, CLEANED OR OTHERWISE PREPARED TO RECEIVE NEW PAINT WITHOUT NOTICEABLE IMPERFECTION.

8. U.O.N. PAINT METAL DOORS AND DOOR FRAMES PT-04. RE: FINISH PLANS AND ELEVATIONS FOR ANY DOORS RECEIVING ACCENT PAINT COLORS.

9. BUILDING TO REMAIN OPEN AND OPERATIONAL DURING CONSTRUCTION. SEE PHASING PLANS FOR DETAILS.

10. EXTEND FLOOR FINISHES UNDER MILLWORK & INTO RECESSES.

11. CARPET INSTALLATION SHALL COMPLY WITH THE WORKMANSHIP GUIDELINES AS PUBLISHED BY THE AMERICAN CARPET INSTITUTES LATEST EDITION AND SHALL BE IN STRICT ACCORDANCE WITH THE MANUFACTURER'S RECOMMENDATIONS, PROVIDING AN ATTRACTIVE, WRINKLE-FREE APPEARANCE. CARPET SEAMS SHALL BE BUTT MATCHED RUNNING IN THE SAME DIRECTION.

12. PROVIDE FLASH-PATCH FLOOR IN ALL AREAS WHERE FLOOR IS NOT LEVEL OR TRUE PRIOR TO FLOORING INSTALLATION OF NEW MATERIALS.

13. GENERAL CONTRACTOR TO SCRAPE EXISTING FLOOR SLAB FREE OF SCREWS, ADHESIVE & OTHER MISCELLANEOUS MATERIALS FOR SMOOTH, EVEN FINISH.

14. FLOORING TRANSITIONS AT CENTER OF DOOR OPENINGS, RE: INTERIOR DETAILS SHEET, A-901, VERIFY ALL LOCATIONS ON SITE.

15. UNLESS OTHERWISE NOTED PAINT WOOD BASE PT-04.

16. UNLESS OTHERWISE NOTED PAINT WALLS TYPICAL FIELD PT-06.


17. COORDINATE WALL PROTECTION PANEL SEAM LOCATIONS IN FIELD.

18. CONFIRM CORNER GUARD LOCATIONS AND QUANTITIES IN FIELD.

19. GENERAL CONTRACTOR IS RESPONSIBLE FOR THE MOVING OF FURNITURE, EQUIPMENT, AND SHELVING FROM AREAS RECEIVING NEW FLOOR FINISHES. ALL MOVED ITEMS ARE TO BE STORED ON SITE AND RETURNED TO ORIGINAL LOCATIONS AFTER INSTALLATION OF NEW FLOORING.

SHEET NOTES

NOTE	DESCRIPTION
S19	PAINT AREA OF CEILING SOFFIT FACE AND SOFFIT SIDES ACCENT PAINT COLOR; ALL OTHER AREAS OF GYP CEILING TO BE PAINTED PT-01 EXISTING CEILING WHITE
S20	NEW WALL PROTECTION, WALL BASE, AND PAINT
S23	PAINT DOOR FRAME AND DOOR ACCENT PAINT RE: FINISH PLANS AND ELEVATIONS
S24	RE: ENLARGED FINISH PLANS AND A-600 FOR STAIR PAINT LOCATIONS AT STAFF STAIR WELL
S25	AT THE STAIR CORE PAINT RAILING, HANDRAIL, STAIR STRINGER, FRONT FACE OF RISER AND BACK FACE OF RISER RE: FINISH PLANS AND ELEVATIONS
S29	APPLIED VINYL GRAPHIC-PLOT CUT VINYL, RE: A-600 SHEETS
S32	PAINT ELEVATOR DOOR AND DOOR FRAME ACCENT PAINT COLOR





1  
A-931  
LEVEL 03 - WEST CORE ENLARGED PLAN  
1/4" = 1'-0"




0.8 1 1.3 1.6 2 3 4 5 5.5 6 7 7.2 8 8.5 9 10 12 13 14.5 15.5 16.5 21 22

FLOORING LEGEND



WALL FINISH LEGEND



GENERAL NOTES:

- SEE FINISH LEGEND AND RCP'S FOR ADDITIONAL INFORMATION.
- CONTRACTOR TO VERIFY ALL APPROPRIATE INSTALLATION & CONSTRUCTION DETAILS & ABILITY TO INSTALL PER DESIGN INTENT. PLEASE VERIFY ANY QUESTIONS AND/OR DISCREPANCIES WITH DESIGNER PRIOR TO CONSTRUCTION.
- UNO THE SUBSTRATE FOR ANY PAINT IS GWB.
- CONSULT WITH ARCHITECT REGARDING ANY DISCREPANCIES OR OMISSIONS.
- ALL GYP SOFFITS AND CEILINGS ARE TO BE PAINTED PT-01 U.O.N. RE: RCP ENLARGED PLANS FOR ACCENT COLOR AND EXTENTS.
- IN THE EVENT OF UNCLEAR OR CONFLICTING INFORMATION, ARCHITECT SHALL BE CONTACTED FOR CLARIFICATION.
- ALL EXISTING WALL SURFACE EXISTING TO REMAIN SHALL BE SCRAPPED, SPACKLED, PATCHED, CLEANED OR OTHERWISE PREPARED TO RECEIVE NEW PAINT WITHOUT NOTICEABLE IMPERFECTION.
- U.O.N. PAINT METAL DOORS AND DOOR FRAMES PT-04, RE: FINISH PLANS AND ELEVATIONS FOR ANY DOORS RECEIVING ACCENT PAINT COLORS.
- BUILDING TO REMAIN OPEN AND OPERATIONAL DURING CONSTRUCTION. SEE PHASING PLANS FOR DETAILS.
- EXTEND FLOOR FINISHES UNDER MILLWORK & INTO RECESSES.
- CARPET INSTALLATION SHALL COMPLY WITH THE WORKMANSHIP GUIDELINES AS PUBLISHED BY THE AMERICAN CARPET INSTITUTES LATEST EDITION AND SHALL BE IN STRICT ACCORDANCE WITH THE MANUFACTURER'S RECOMMENDATIONS, PROVIDING AN ATTRACTIVE, WRINKLE-FREE APPEARANCE. CARPET SEAMS SHALL BE BUTT MATCHED RUNNING IN THE SAME DIRECTION.
- PROVIDE FLASH-PATCH FLOOR IN ALL AREAS WHERE FLOOR IS NOT LEVEL OR TRUE PRIOR TO FLOORING INSTALLATION OF NEW MATERIALS.
- GENERAL CONTRACTOR TO SCRAPE EXISTING FLOOR SLAB FREE OF SCREWS, ADHESIVE & OTHER MISCELLANEOUS MATERIALS FOR SMOOTH, EVEN FINISH.
- FLOORING TRANSITIONS AT CENTER OF DOOR OPENINGS, RE: INTERIOR DETAILS SHEET, A-901, VERIFY ALL LOCATIONS ON SITE.
- UNLESS OTHERWISE NOTED PAINT WOOD BASE PT-04.
- UNLESS OTHERWISE NOTED PAINT WALLS TYPICAL FIELD PT-06.
- COORDINATE WALL PROTECTION PANEL SEAM LOCATIONS IN FIELD.
- CONFIRM CORNER GUARD LOCATIONS AND QUANTITIES IN FIELD.
- GENERAL CONTRACTOR IS RESPONSIBLE FOR THE MOVING OF FURNITURE, EQUIPMENT, AND SHELVING FROM AREAS RECEIVING NEW FLOOR FINISHES. ALL MOVED ITEMS ARE TO BE STORED ON SITE AND RETURNED TO ORIGINAL LOCATIONS AFTER INSTALLATION OF NEW FLOORING.

SHEET NOTES

NOTE	DESCRIPTION
S29	APPLIED VINYL GRAPHIC-LOT CUT VINYL, RE: A-800 SHEETS
S31	COMPACT SHELVING AND RAILS TO BE REMOVED UNDER A SEPARATE CONTRACT
S36	RESILIENT STAIR NOSING RSN-01
S37	NEW PAINT IN THIS AREA TO INCLUDE WALLS AND COLUMNS AND WOOD BASE, MATCH EXISTING PAINT COLORS
S38	NEW PAINT IN THIS AREA, PT-06

Level 04 Room Finish Schedule


Room Number	Room Name	Floor Finish	Base Finish
402	BUS/IND/GOVT	CPT-12	(E)
404	LOUNGE	CPT-12	(E)
405	LOBBY	CPT-12	(E)
406	ELEVATOR LOBBY	RF-01	RB-05
416	STAFF CORE	RF-01	RB-05
418	OFFICE	CPT-09	RB-05
419	OFFICE	CPT-09	RB-05
420C	STORAGE	CPT-12	RB-05
427	GOVERNMENT PUBLICATIONS / BUSINESS	(E)	(E)
428	READING	CPT-12	(E)
430A	SERVICE DESK	CPT-12	(E)
430B	SERVICE DESK	CPT-12	(E)
432	LARGE CLASSROOM	CPT-10	(E)
437	CATALOGUES	CPT-12	(E)
443	RECEPTION	CPT-09	RB-05
453	CLOSED STACKS	CPT-09	RB-05
457	STUDY	CPT-09	(E)
458	STUDY	CPT-09	(E)
459	READING ROOM	CPT-10	(E)

LEVEL 04 OVERALL FINISH PLAN


A-940




9  
A-941  
LEVEL 04 WEST CORE ENLARGED RCP PLAN  
1/4" = 1'-0"




7  
A-941  
CORE 416 - SOUTH ELEVATION  
1/4" = 1'-0"




6  
A-941  
CORE 416 - NORTH ELEVATION  
1/4" = 1'-0"




4  
A-941  
L04 ELEVATOR LOBBY - WEST WALL  
1/4" = 1'-0"




3  
A-941  
L04 ELEVATOR LOBBY - ALCOVE EAST WALL  
1/4" = 1'-0"




2  
A-941  
L04 ELEVATOR LOBBY - EAST WALL OPENING  
1/4" = 1'-0"




5  
A-941  
LEVEL 04 - PUBLIC ELEVATOR LOBBY  
1/4" = 1'-0"



8  
A-941  
LEVEL 04 - FINISH FLOOR PLAN RAMP  
1/4" = 1'-0"



1  
A-941  
LEVEL 04 - WEST CORE ENLARGED PLAN  
1/4" = 1'-0"



SHEET NOTES	
NOTE	DESCRIPTION
S17	EXISTING FLOORING TO REMAIN, VERIFY AND DOCUMENT EXTENT IN FIELD
S19	PAINT AREA OF CEILING SOFFIT FACE AND SOFFIT SIDES ACCENT PAINT COLOR; ALL OTHER AREAS OF GYP CEILING TO BE PAINTED PT-01 EXISTING CEILING WHITE
S20	NEW WALL PROTECTION, WALL BASE, AND PAINT
S23	PAINT DOOR FRAME AND DOOR ACCENT PAINT RE: FINISH PLANS AND ELEVATIONS
S24	RE: ENLARGED FINISH PLANS AND A-600 FOR STAIR PAINT LOCATIONS AT STAFF STAIR WELL
S25	AT THE STAIR CORE PAINT RAILING, HANDRAIL, STAIR STRINGER, FRONT FACE OF RISER AND BACK FACE OF RISER RE:FINISH PLANS AND ELEVATIONS
S29	APPLIED VINYL GRAPHIC-PLOT CUT VINYL, RE: A-600 SHEETS
S32	PAINT ELEVATOR DOOR AND DOOR FRAME ACCENT PAINT COLOR
S36	RESILIENT STAIR NOSING RSN-01
S37	NEW PAINT IN THIS AREA TO INCLUDE WALLS AND COLUMNS AND WOOD BASE, MATCH EXISTING PAINT COLORS
S39	PAINT WOOD BASE IN THIS AREA PT-04
S40	WALL CAP TO BE PAINTED PT-04
S41	INSIDE FACE OF WALL TO BE PAINTED PT-06
S42	EXISTING RUBBER FLOORING ON RAMP TO REMAIN

#### INTERIOR ELEVATION LEGEND

NEW ELEMENTS

#### WALL FINISH LEGEND

HATCH INDICATES PAINT SCOPE OF WALL OR CEILING; VARIES FLOOR TO FLOOR

PAINT / WALL FINISH

#### FLOORING LEGEND

CPT-01

CPT-12

CPT-09

CPT-13

CPT-10

RF-01

CPT-11

#### LEGEND: REFLECTED CEILING PLAN

EXISTING GWB CEILING TO REMAIN

FLOOR FINISH TRANSITION

PATTERN OR GRAIN DIRECTION OF FLOORING

OUTLINE OF BUILDING FOOTPRINT ABOVE

#### GENERAL NOTES:

- SEE FINISH LEGEND AND RCP'S FOR ADDITIONAL INFORMATION.
- CONTRACTOR TO VERIFY ALL APPROPRIATE INSTALLATION & CONSTRUCTION DETAILS & ABILITY TO INSTALL PER DESIGN INTENT. PLEASE VERIFY ANY QUESTIONS AND/OR DISCREPANCIES WITH DESIGNER PRIOR TO CONSTRUCTION UNO THE SUBSTRATE FOR ANY PAINT IS GWB.
- CONSULT WITH ARCHITECT REGARDING ANY DISCREPANCIES OR OMISSIONS.
- ALL GYP SOFFITS AND CEILINGS ARE TO BE PAINTED PT-01 U.N.O. RE: RCP. ENLARGED PLANS FOR ACCENT COLOR AND EXTENTS.
- IN THE EVENT OF UNCLEAR OR CONFLICTING INFORMATION, ARCHITECT SHALL BE CONTACTED FOR CLARIFICATION.
- ALL EXISTING WALL SURFACE EXISTING TO REMAIN SHALL BE SCRAPED, SPACKLED, PATCHED, CLEANED OR OTHERWISE PREPARED TO RECEIVE NEW PAINT WITHOUT NOTICEABLE IMPERFECTION.
- U.O.N. PAINT METAL DOORS AND DOOR FRAMES PT-04. RE: FINISH PLANS AND ELEVATIONS FOR ANY DOORS RECEIVING ACCENT PAINT COLORS.
- BUILDING TO REMAIN OPEN AND OPERATIONAL DURING CONSTRUCTION. SEE PHASING PLANS FOR DETAILS.
- EXTEND FLOOR FINISHES UNDER MILLWORK & INTO RECESSES.
- CARPET INSTALLATION SHALL COMPLY WITH THE WORKMANSHIP GUIDELINES AS PUBLISHED BY THE AMERICAN CARPET INSTITUTES LATEST EDITION AND SHALL BE IN STRICT ACCORDANCE WITH THE MANUFACTURER'S RECOMMENDATIONS, PROVIDING AN ATTRACTIVE, WRINKLE-FREE APPEARANCE. CARPET SEAMS SHALL BE BUTT MATCHED RUNNING IN THE SAME DIRECTION.
- PROVIDE FLASH-PATCH FLOOR IN ALL AREAS WHERE FLOOR IS NOT LEVEL OR TRUE PRIOR TO FLOORING INSTALLATION OF NEW MATERIALS.
- GENERAL CONTRACTOR TO SCRAPE EXISTING FLOOR SLAB FREE OF SCREWS, ADHESIVE & OTHER MISCELLANEOUS MATERIALS FOR SMOOTH, EVEN FINISH.
- FLOORING TRANSITIONS AT CENTER OF DOOR OPENINGS. RE: INTERIOR DETAILS SHEET, A-801. VERIFY ALL LOCATIONS ON SITE.
- UNLESS OTHERWISE NOTED PAINT WOOD BASE PT-04.
- UNLESS OTHERWISE NOTED PAINT WALLS TYPICAL FIELD PT-06.
- COORDINATE WALL PROTECTION PANEL SEAM LOCATIONS IN FIELD.
- CONFIRM CORNER GUARD LOCATIONS AND QUANTITIES IN FIELD.
- GENERAL CONTRACTOR IS RESPONSIBLE FOR THE MOVING OF FURNITURE, EQUIPMENT, AND SHELVING FROM AREAS RECEIVING NEW FLOOR FINISHES. ALL MOVED ITEMS ARE TO BE STORED ON SITE AND RETURNED TO ORIGINAL LOCATIONS AFTER INSTALLATION OF NEW FLOORING.

studiotrope  
design collective

OWNER  
City and County of Denver  
Department of Public Works  
201 W Colfax Ave., Denver, CO 80202

ARCHITECT / INTERIORS / GRAPHICS  
studiotrope Design Collective  
2942 Wilton St. Denver, CO 80205  
303.308.1144

DENVER CENTRAL LIBRARY  
INTERIOR ENHANCEMENTS PROJECT  
BID DOCUMENTS  
10 West 14th Ave. Plwy  
Denver, CO 80204

PROJECT NO: 2306A


ISSUE DATE: 01/31/2024  
PHASE / REV NAME: BID DOCUMENTS

LEVEL 04 ENLARGED PLANS AND ELEVATIONS

A-941

© 2024 STUDIOTROPE, LLC  
1/31/2024 4:16:17 PM






R  
S

1  
A-950


LEVEL 05 - FINISH FLOOR PLAN

1/16" = 1'-0"


#### FLOORING LEGEND




FLOOR FINISH TRANSITION



PATTERN OR GRAIN




OUTLINE OF BUILDING  
FOOTPRINT ABOVE




#### WALL FINISH LEGEND

HATCH INDICATES PAINT  
SCOPE OF WALL OR  
CEILINGS; VARIES FLOOR TO  
FLOOR



PAINT / WALL FINISH



#### GENERAL NOTES:

- SEE FINISH LEGEND AND RCP'S FOR ADDITIONAL INFORMATION.
- CONTRACTOR TO VERIFY ALL APPROPRIATE INSTALLATION & CONSTRUCTION DETAILS & ABILITY TO INSTALL PER DESIGN INTENT. PLEASE VERIFY ANY QUESTIONS AND/OR DISCREPANCIES WITH DESIGNER PRIOR TO CONSTRUCTION.
- UNO THE SUBSTRATE FOR ANY PAINT IS GWB.
- CONSULT WITH ARCHITECT REGARDING ANY DISCREPANCIES OR OMISSIONS.
- ALL GYP SOFFITS AND CEILINGS ARE TO BE PAINTED PT-01 U.N.O. RE: RCP ENLARGED PLANS FOR ACCENT COLOR AND EXTENTS.
- IN THE EVENT OF UNCLEAR OR CONFLICTING INFORMATION, ARCHITECT SHALL BE CONTACTED FOR CLARIFICATION.
- ALL EXISTING WALL SURFACE EXISTING TO REMAIN SHALL BE SCRAPPED, SPACKLED, PATCHED, CLEANED OR OTHERWISE PREPARED TO RECEIVE NEW PAINT WITHOUT NOTICEABLE IMPERFECTION.
- U.O.N. PAINT METAL DOORS AND DOOR FRAMES PT-04, RE: FINISH PLANS AND ELEVATIONS FOR ANY DOORS RECEIVING ACCENT PAINT COLORS.
- BUILDING TO REMAIN OPEN AND OPERATIONAL DURING CONSTRUCTION. SEE PHASING PLANS FOR DETAILS.
- EXTEND FLOOR FINISHES UNDER MILLWORK & INTO RECESSES.
- CARPET INSTALLATION SHALL COMPLY WITH THE WORKMANSHIP GUIDELINES AS PUBLISHED BY THE AMERICAN CARPET INSTITUTES LATEST EDITION AND SHALL BE IN STRICT ACCORDANCE WITH THE MANUFACTURER'S RECOMMENDATIONS, PROVIDING AN ATTRACTIVE, WRINKLE-FREE APPEARANCE. CARPET SEAMS SHALL BE BUTT MATCHED RUNNING IN THE SAME DIRECTION.
- PROVIDE FLASH-PATCH FLOOR IN ALL AREAS WHERE FLOOR IS NOT LEVEL OR TRUE PRIOR TO FLOORING INSTALLATION OF NEW MATERIALS.
- GENERAL CONTRACTOR TO SCRAPE EXISTING FLOOR SLAB FREE OF SCREWS, ADHESIVE & OTHER MISCELLANEOUS MATERIALS FOR SMOOTH, EVEN FINISH.
- FLOORING TRANSITIONS AT CENTER OF DOOR OPENINGS. RE: INTERIOR DETAILS SHEET, A-901, VERIFY ALL LOCATIONS ON SITE.
- UNLESS OTHERWISE NOTED PAINT WOOD BASE PT-04.
- UNLESS OTHERWISE NOTED PAINT WALLS TYPICAL FIELD PT-06.
- COORDINATE WALL PROTECTION PANEL SEAM LOCATIONS IN FIELD.
- CONFIRM CORNER GUARD LOCATIONS AND QUANTITIES IN FIELD.
- GENERAL CONTRACTOR IS RESPONSIBLE FOR THE MOVING OF FURNITURE, EQUIPMENT, AND SHELIVING FROM AREAS RECEIVING NEW FLOOR FINISHES. ALL MOVED ITEMS ARE TO BE STORED ON SITE AND RETURNED TO ORIGINAL LOCATIONS AFTER INSTALLATION OF NEW FLOORING.

Level 05 Room Finish Schedule			
Room Number	Room Name	Floor Finish	Base Finish
501	GALLERY	(E)	(E)
502	MEETING ROOM	(E)	(E)
506	ELEVATOR LOBBY	RF-01	RB-05
516	STAFF CORE	RF-01	RB-05

**studiotrope**  
design collective

OWNER  
City and County of Denver  
Department of Public Works  
201 W Colfax Ave., Denver, CO 80202


ARCHITECT / INTERIORS / GRAPHICS  
studiotrope Design Collective  
2445 W. 14th St., Denver, CO 80202  
303.308.1144

PROJECT  
**DENVER CENTRAL LIBRARY**  
INTERIOR ENHANCEMENTS PROJECT  
BID DOCUMENTS  
10 West 14th Ave. Plwy  
Denver, CO 80204

PROJECT NO: 2306A

ISSUE DATE  
1 01/31/2024

PHASE / REV NAME  
BID DOCUMENTS



LEVEL 05 OVERALL FINISH PLAN

A-950

© 2024 STUDIOTROPE, LLC  
1/31/2024 4:16:18 PM








SHEET NOTES	
NOTE	DESCRIPTION
S37	NEW PAINT IN THIS AREA TO INCLUDE WALLS AND COLUMNS AND WOOD BASE, MATCH EXISTING PAINT COLORS
S48	ALTERNATE #3: PRICE AS A SEPARATE LINE ITEM; SKIM COAT ALL WALLS AND REPAINT WALLS LEVEL 5 IN GALLERY AND MEETING ROOM. MATCH EXSITING PAINT COLORS

INTERIOR ELEVATION LEGEND

NEW ELEMENTS

FLOORING LEGEND




FLOOR FINISH TRANSITION  
PATTERN OR GRAIN  
DIRECTION OF FLOORING  
OUTLINE OF BUILDING  
FOOTPRINT ABOVE

WALL FINISH LEGEND

HATCH INDICATES PAINT  
SCOPE OF WALL OR  
CEILINGS; VARIES FLOOR TO  
FLOOR  
PAINT / WALL FINISH

GENERAL NOTES:

- SEE FINISH LEGEND AND RCP'S FOR ADDITIONAL INFORMATION.
- CONTRACTOR TO VERIFY ALL APPROPRIATE INSTALLATION & CONSTRUCTION DETAILS & ABILITY TO INSTALL PER DESIGN INTENT. PLEASE VERIFY ANY QUESTIONS AND/OR DISCREPANCIES WITH DESIGNER PRIOR TO CONSTRUCTION OR OMISSIONS.
- UNO THE SUBSTRATE FOR ANY PAINT IS GWB.
- CONSULT WITH ARCHITECT REGARDING ANY DISCREPANCIES OR OMISSIONS.
- ALL GYP SOFFITS AND CEILINGS ARE TO BE PAINTED PT-01 U.N.O. RE: RCP ENLARGED PLANS FOR ACCENT COLOR AND EXTENTS.
- IN THE EVENT OF UNCLEAR OR CONFLICTING INFORMATION, ARCHITECT SHALL BE CONTACTED FOR CLARIFICATION
- ALL EXISTING WALL SURFACE EXISTING TO REMAIN SHALL BE SCRAPPED, SPACKLED, PATCHED, CLEANED OR OTHERWISE PREPARED TO RECEIVE NEW PAINT WITHOUT NOTICEABLE IMPERFECTION
- U.O.N. PAINT METAL DOORS AND DOOR FRAMES PT-04. RE: FINISH PLANS AND ELEVATIONS FOR ANY DOORS RECEIVING ACCENT PAINT COLORS
- BUILDING TO REMAIN OPEN AND OPERATIONAL DURING CONSTRUCTION. SEE PHASING PLANS FOR DETAILS
- EXTEND FLOOR FINISHES UNDER MILLWORK & INTO RECESSES
- CARPET INSTALLATION SHALL COMPLY WITH THE WORKMANSHIP GUIDELINES AS PUBLISHED BY THE AMERICAN CARPET INSTITUTES LATEST EDITION AND SHALL BE IN STRICT ACCORDANCE WITH THE MANUFACTURER'S RECOMMENDATIONS, PROVIDING AN ATTRACTIVE, WRINKLE-FREE APPEARANCE. CARPET SEAMS SHALL BE BUTT MATCHED RUNNING IN THE SAME DIRECTION
- PROVIDE FLASH-PATCH FLOOR IN ALL AREAS WHERE FLOOR IS NOT LEVEL OR TRUE PRIOR TO FLOORING INSTALLATION OF NEW MATERIALS
- GENERAL CONTRACTOR TO SCRAPE EXISTING FLOOR SLAB FREE OF SCREWS, ADHESIVE & OTHER MISCELLANEOUS MATERIALS FOR SMOOTH, EVEN FINISH
- FLOORING TRANSITIONS AT CENTER OF DOOR OPENINGS, RE: INTERIOR DETAILS SHEET, A-901, VERIFY ALL LOCATIONS ON SITE.
- UNLESS OTHERWISE NOTED PAINT WOOD BASE PT-04
- UNLESS OTHERWISE NOTED PAINT WALLS TYPICAL FIELD PT-06
- COORDINATE WALL PROTECTION PANEL SEAM LOCATIONS IN FIELD.
- CONFIRM CORNER GUARD LOCATIONS AND QUANTITIES IN FIELD.
- GENERAL CONTRACTOR IS RESPONSIBLE FOR THE MOVING OF FURNITURE, EQUIPMENT, AND SHELVING FROM AREAS RECEIVING NEW FLOOR FINISHES. ALL MOVED ITEMS ARE TO BE STORED ON SITE AND RETURNED TO ORIGINAL LOCATIONS AFTER INSTALLATION OF NEW FLOORING



OWNER  
City and County of Denver  
Department of Public Works  
201 W Colfax Ave., Denver, CO 80202  
303.308.1144

ARCHITECT / INTERIORS /  
studiotrope design collective  
303.308.1144

CIVIL ENGINEER  
Elevation Consulting  
8315 W 4th Ave, Lakewood, CO 80226  
303.915.3543

LANDSCAPE ARCHITECT  
Mundus Bishop  
1525 Raleigh St #310, Denver, CO 80204  
303.477.5244

STRUCTURAL ENGINEER  
AECOM  
717 17th St #1650, Denver, CO 80202  
303.228.3000

Integral Engineering  
6255 E Peakview Pl, Centennial, CO 80111  
303.884.1703

MEP ENGINEER  
AECOM  
717 17th St #1650, Denver, CO 80202  
303.228.3000

RJSA  
2590 Walnut St., Denver, CO 80205  
720.598.0774

FIRE PROTECTION  
AECOM  
717 17th St #1650, Denver, CO 80202  
303.228.3000

SUSTAINABILITY  
Ambient Energy  
1449 7th St suite 440, Denver, CO 80204  
303.278.1532

LOW VOLTAGE / ACOUSTICAL /  
SECURITY  
K2 Audio  
5777 Central Ave #225, Boulder, CO 80301  
303.865.5500

ADA CONSULTANT  
Meeting the Challenge  
3630 Simton Road, Suite 103  
Colorado Springs, CO 80907  
719.444.0252

ELEVATOR CONSULTANT  
Lerch Bates  
9780 S Meridian Blvd Suite 450  
Englewood, CO 80112  
303.795.7956


LIBRARY CONSULTANTS  
Radix Design  
Cornelius (Kin) Dubois  
Michael Murphy

PERMIT EXPEDITER  
Service 1st Permits  
331 14th St, Suite 200  
Denver, CO 80202  
720.486.7111

DENVER CENTRAL  
LIBRARY  
FCAP INTERIOR ENHANCEMENT  
10 West 14th Ave. Pkwy  
Denver, CO 80204

PROJECT NO: 2306A


1 01/31/2024 BID DOCUMENTS



LEVEL 05 ENLARGED PLAN AND  
ELEVATIONS



A-952






2  
A-960  
LEVEL 06 - EAST CORE FINISH FLOOR PLAN  
1/4" = 1'-0"

FLOORING LEGEND



WALL FINISH LEGEND





GENERAL NOTES:

- SEE FINISH LEGEND AND RCP'S FOR ADDITIONAL INFORMATION.
- CONTRACTOR TO VERIFY ALL APPROPRIATE INSTALLATION & CONSTRUCTION DETAILS & ABILITY TO INSTALL PER DESIGN INTENT. PLEASE VERIFY ANY QUESTIONS AND/OR DISCREPANCIES WITH DESIGNER PRIOR TO CONSTRUCTION.
- UNO THE SUBSTRATE FOR ANY PAINT IS GWP.
- CONSULT WITH ARCHITECT REGARDING ANY DISCREPANCIES OR OMISSIONS.
- ALL GYP SOFFITS AND CEILINGS ARE TO BE PAINTED PT-01 U.N.O. RE: RCP ENLARGED PLANS FOR ACCENT COLOR AND EXTENTS.
- IN THE EVENT OF UNCLEAR OR CONFLICTING INFORMATION, ARCHITECT SHALL BE CONTACTED FOR CLARIFICATION.
- ALL EXISTING WALL SURFACE EXISTING TO REMAIN SHALL BE SCRAPED, SPACKLED, PATCHED, CLEANED OR OTHERWISE PREPARED TO RECEIVE NEW PAINT WITHOUT NOTICEABLE IMPERFECTION.
- U.O.N. PAINT METAL DOORS AND DOOR FRAMES PT-04. RE: FINISH PLANS AND ELEVATIONS FOR ANY DOORS RECEIVING ACCENT PAINT COLORS.
- BUILDING TO REMAIN OPEN AND OPERATIONAL DURING CONSTRUCTION. SEE PHASING PLANS FOR DETAILS.
- EXTEND FLOOR FINISHES UNDER MILLWORK & INTO RECESSES.
- CARPET INSTALLATION SHALL COMPLY WITH THE WORKMANSHIP GUIDELINES AS PUBLISHED BY THE AMERICAN CARPET INSTITUTES LATEST EDITION AND SHALL BE IN STRICT ACCORDANCE WITH THE MANUFACTURERS' RECOMMENDATIONS, PROVIDING AN ATTRACTIVE, WRINKLE-FREE APPEARANCE. CARPET SEAMS SHALL BE BUTT MATCHED RUNNING IN THE SAME DIRECTION.
- PROVIDE FLASH-PATCH FLOOR IN ALL AREAS WHERE FLOOR IS NOT LEVEL OR TRUE PRIOR TO FLOORING INSTALLATION OF NEW MATERIALS.
- GENERAL CONTRACTOR TO SCRAPE EXISTING FLOOR SLAB FREE OF SCREWS, ADHESIVE & OTHER MISCELLANEOUS MATERIALS FOR SMOOTH, EVEN FINISH.
- FLOORING TRANSITIONS AT CENTER OF DOOR OPENINGS. RE: INTERIOR DETAILS SHEET, A-901, VERIFY ALL LOCATIONS ON SITE.
- UNLESS OTHERWISE NOTED PAINT WOOD BASE PT-04.
- UNLESS OTHERWISE NOTED PAINT WALLS TYPICAL FIELD PT-06.
- COORDINATE WALL PROTECTION PANEL SEAM LOCATIONS IN FIELD.
- CONFIRM CORNER GUARD LOCATIONS AND QUANTITIES IN FIELD.
- GENERAL CONTRACTOR IS RESPONSIBLE FOR THE MOVING OF FURNITURE, EQUIPMENT, AND SHELVING FROM AREAS RECEIVING NEW FLOOR FINISHES. ALL MOVED ITEMS ARE TO BE STORED ON SITE AND RETURNED TO ORIGINAL LOCATIONS AFTER INSTALLATION OF NEW FLOORING.


SHEET NOTES

NOTE	DESCRIPTION
S17	EXISTING FLOORING TO REMAIN, VERIFY AND DOCUMENT EXTENT IN FEILD
S38	NEW PAINT IN THIS AREA, PT-06
S43	SECTION OF CORRIDOR TO RECEIVE NEW PAINT PT-06; PATCH AND REPAIR WALLS AS NEEDED
S46	ALTERNATE #1: PRICE INSTALLATION OF RF-01 AND NEW WALL BASE RB-05 AND ALL FLOORING TRANSITIONS IN THIS AREA AS A SEPARATE LINE ITEM; INCLUDE DEMOLTION OF EXISTING FLOOR AND ALL REQUIRED FLOOR PREP TO ACCEPT NEW MATERIAL

Level 06 Room Finish Schedule			
Room Number	Room Name	Floor Finish	Base Finish
606	ELEV LOBBY	RF-01	RB-05
616	STAFF CORE	RF-01	RB-05




1  
A-960  
LEVEL 06 - FINISH FLOOR PLAN  
1/8" = 1'-0"



LEVEL 06 OVERALL FINISH PLAN


A-960






7  
A-961  
LEVEL 06 WEST CORE ELARGED RCP PLAN

1/4" = 1'-0"




6  
A-961  
CORE 616 - SOUTH ELEVATION

1/4" = 1'-0"




5  
A-961  
CORE 616 - NORTH ELEVATION

1/4" = 1'-0"




4  
A-961  
L06 ELEVATOR LOBBY - WEST WALL

1/4" = 1'-0"



3  
A-961  
L06 ELEVATOR LOBBY - ALCOVE EAST WALL

1/4" = 1'-0"




2  
A-961  
L06 ELEVATOR LOBBY - EAST WALL OPENING

1/4" = 1'-0"

#### INTERIOR ELEVATION LEGEND

NEW ELEMENTS

#### FLOORING LEGEND



FLOOR FINISH TRANSITION

PATTERN OR GRAIN DIRECTION OF FLOORING

OUTLINE OF BUILDING FOOTPRINT ABOVE

#### WALL FINISH LEGEND

HATCH INDICATES PAINT SCOPE OF WALL OR CEILINGS; VARIES FLOOR TO FLOOR

PAINT / WALL FINISH

#### LEGEND: REFLECTED CEILING PLAN


EXISTING GWB CEILING TO REMAIN

#### GENERAL NOTES:

- SEE FINISH LEGEND AND RCP'S FOR ADDITIONAL INFORMATION.
- CONTRACTOR TO VERIFY ALL APPROPRIATE INSTALLATION & CONSTRUCTION DETAILS & ABILITY TO INSTALL PER DESIGN INTENT. PLEASE VERIFY ANY QUESTIONS AND/OR DISCREPANCIES WITH DESIGNER PRIOR TO CONSTRUCTION.
- UNO THE SUBSTRATE FOR ANY PAINT IS GWB.
- CONSULT WITH ARCHITECT REGARDING ANY DISCREPANCIES OR OMISSIONS.
- ALL GYP SOFFITS AND CEILINGS ARE TO BE PAINTED PT-01 U.N.O. RE: RCP ENLARGED PLANS FOR ACCENT COLOR AND EXTENTS.
- IN THE EVENT OF UNCLER OR CONFLICTING INFORMATION, ARCHITECT SHALL BE CONTACTED FOR CLARIFICATION.
- ALL EXISTING WALL SURFACE EXISTING TO REMAIN SHALL BE SCRAPED, SPACKLED, PATCHED, CLEANED OR OTHERWISE PREPARED TO RECEIVE NEW PAINT WITHOUT NOTICEABLE IMPERFECTION.
- U.O.N. PAINT METAL DOORS AND DOOR FRAMES PT-04, RE: FINISH PLANS AND ELEVATIONS FOR ANY DOORS RECEIVING ACCENT PAINT COLORS.
- BUILDING TO REMAIN OPEN AND OPERATIONAL DURING CONSTRUCTION. SEE PHASING PLANS FOR DETAILS.
- EXTEND FLOOR FINISHES UNDER MILLWORK & INTO RECESSES.
- CARPET INSTALLATION SHALL COMPLY WITH THE WORKMANSHIP GUIDELINES AS PUBLISHED BY THE AMERICAN CARPET INSTITUTION LATEST EDITION AND SHALL BE IN STRICT ACCORDANCE WITH THE MANUFACTURER'S RECOMMENDATIONS, PROVIDING AN ATTRACTIVE, WRINKLE-FREE APPEARANCE. CARPET SEAMS SHALL BE BUTT MATCHED RUNNING IN THE SAME DIRECTION.
- PROVIDE FLASH-PATCH FLOOR IN ALL AREAS WHERE FLOOR IS NOT LEVEL OR TRUE PRIOR TO FLOORING INSTALLATION OF NEW MATERIALS.
- GENERAL CONTRACTOR TO SCRAPE EXISTING FLOOR SLAB FREE OF SCREWS, ADHESIVE & OTHER MISCELLANEOUS MATERIALS FOR SMOOTH, EVEN FINISH.
- FLOORING TRANSITIONS AT CENTER OF DOOR OPENINGS. RE: INTERIOR DETAILS SHEET, A-901, VERIFY ALL LOCATIONS ON SITE.
- UNLESS OTHERWISE NOTED PAINT WOOD BASE PT-04.
- UNLESS OTHERWISE NOTED PAINT WALLS TYPICAL FIELD PT-06.
- COORDINATE WALL PROTECTION PANEL SEAM LOCATIONS IN FIELD.
- CONFIRM CORNER GUARD LOCATIONS AND QUANTITIES IN FIELD.
- GENERAL CONTRACTOR IS RESPONSIBLE FOR THE MOVING OF FURNITURE, EQUIPMENT, AND SHELVING FROM AREAS RECEIVING NEW FLOOR FINISHES. ALL MOVED ITEMS ARE TO BE STORED ON SITE AND RETURNED TO ORIGINAL LOCATIONS AFTER INSTALLATION OF NEW FLOORING.


#### SHEET NOTES

NOTE	DESCRIPTION
S19	PAINT AREA OF CEILING SOFFIT FACE AND SOFFIT SIDES ACCENT PAINT COLOR; ALL OTHER AREAS OF GYP CEILING TO BE PAINTED PT-01 EXSITING CEILING WHITE
S20	NEW WALL PROTECTION, WALL BASE, AND PAINT
S23	PAINT DOOR FRAME AND DOOR ACCENT PAINT RE: FINISH PLANS AND ELEVATIONS
S24	RE: ENLARGED FINISH PLANS AND A-600 FOR STAIR PAINT LOCATIONS AT STAFF STAIR WELL
S25	AT THE STAIR CORE PAINT RAILING, HANDRAIL, STAIR STRINGER, FRONT FACE OF RISER AND BACK FACE OF RISER RE-FINISH PLANS AND ELEVATIONS
S29	APPLIED VINYL GRAPHIC-PLOT CUT VINYL, RE: A-600 SHEETS
S32	PAINT ELEVATOR DOOR AND DOOR FRAME ACCENT PAINT COLOR



1  
A-961  
LEVEL 06 - WEST CORE ENLARGED PLAN



1/4" = 1'-0"






2 2.5 3 4 5 5.5 6 7.2 8 8.5 9 10 12 13 14.5 15.5 16.5

FLOORING LEGEND



WALL FINISH LEGEND



GENERAL NOTES:

- SEE FINISH LEGEND AND RCP'S FOR ADDITIONAL INFORMATION.
- CONTRACTOR TO VERIFY ALL APPROPRIATE INSTALLATION & CONSTRUCTION DETAILS & ABILITY TO INSTALL PER DESIGN INTENT. PLEASE VERIFY ANY QUESTIONS AND/OR DISCREPANCIES WITH DESIGNER PRIOR TO CONSTRUCTION UNO THE SUBSTRATE FOR ANY PAINT IS GWB.
- CONSULT WITH ARCHITECT REGARDING ANY DISCREPANCIES OR OMISSIONS.
- ALL GYP SOFFITS AND CEILINGS ARE TO BE PAINTED PT-01 U.N.O. RE: RCP ENLARGED PLANS FOR ACCENT COLOR AND EXTENTS
- IN THE EVENT OF UNCLEAR OR CONFLICTING INFORMATION, ARCHITECT SHALL BE CONTACTED FOR CLARIFICATION
- ALL EXISTING WALL SURFACE EXISTING TO REMAIN SHALL BE SCRAPPED, SPACKLED, PATCHED, CLEANED OR OTHERWISE PREPARED TO RECEIVE NEW PAINT WITHOUT NOTICEABLE IMPERFECTION
- U.O.N. PAINT METAL DOORS AND DOOR FRAMES PT-04. RE: FINISH PLANS AND ELEVATIONS FOR ANY DOORS RECEIVING ACCENT PAINT COLORS
- BUILDING TO REMAIN OPEN AND OPERATIONAL DURING CONSTRUCTION. SEE PHASING PLANS FOR DETAILS
- EXTEND FLOOR FINISHES UNDER MILLWORK & INTO RECESSES
- CARPET INSTALLATION SHALL COMPLY WITH THE WORKMANSHIP GUIDELINES AS PUBLISHED BY THE AMERICAN CARPET INSTITUTES LATEST EDITION AND SHALL BE IN STRICT ACCORDANCE WITH THE MANUFACTURER'S RECOMMENDATIONS, PROVIDING AN ATTRACTIVE, WRINKLE-FREE APPEARANCE. CARPET SEAMS SHALL BE BUTT MATCHED RUNNING IN THE SAME DIRECTION
- PROVIDE FLASH-PATCH FLOOR IN ALL AREAS WHERE FLOOR IS NOT LEVEL OR TRUE PRIOR TO FLOORING INSTALLATION OF NEW MATERIALS
- GENERAL CONTRACTOR TO SCRAPE EXISTING FLOOR SLAB FREE OF SCREWS, ADHESIVE & OTHER MISCELLANEOUS MATERIALS FOR SMOOTH, EVEN FINISH
- FLOORING TRANSITIONS AT CENTER OF DOOR OPENINGS. RE: INTERIOR DETAILS SHEET, A-901, VERIFY ALL LOCATIONS ON SITE.
- UNLESS OTHERWISE NOTED PAINT WOOD BASE PT-04
- UNLESS OTHERWISE NOTED PAINT WALLS TYPICAL FIELD PT-06
- COORDINATE WALL PROTECTION PANEL SEAM LOCATIONS IN FIELD
- CONFIRM CORNER GUARD LOCATIONS AND QUANTITIES IN FIELD
- GENERAL CONTRACTOR IS RESPONSIBLE FOR THE MOVING OF FURNITURE, EQUIPMENT, AND SHELVING FROM AREAS RECEIVING NEW FLOOR FINISHES. ALL MOVED ITEMS ARE TO BE STORED ON SITE AND RETURNED TO ORIGINAL LOCATIONS AFTER INSTALLATION OF NEW FLOORING

SHEET NOTES


NOTE	DESCRIPTION
S13	PATCH, REPAIR, AND PAINT WOOD BASE AS NEEDED
S17	EXISTING FLOORING TO REMAIN. VERIFY AND DOCUMENT EXTENT IN FEILD
S47	ALTERNATE #2: PRICE AS A SEPARATE LINE ITEM; SKIM COAT ALL WALLS AND REPAINT WALLS LEVEL 7. MATCH EXSITING PAINT COLORS

Level 07 Room Finish Schedule			
Room Number	Room Name	Floor Finish	Base Finish
701	WEST HALL	(E)	(E)
702	EAST HALL	(E)	(E)
703A	HALL	(E)	(E)
703B	FOYER	(E)	(E)
706	ELEV. LOBBY	RF-01	RB-05
716	STAFF CORE	RF-01	RB-05
725A	HALL	(E)	(E)
727	FOYER	(E)	(E)
728	HALL	(E)	(E)
735	SOUTH GALLERY	(E)	(E)
736	NORTH GALLERY	(E)	(E)
738	RECEPTION	(E)	(E)
739	FOYER	(E)	(E)
740	FOYER	(E)	(E)

LEVEL 07 OVERALL FINISH PLAN

A-970






LEVEL 07 ENLARGED PLANS AND ELEVATIONS

A-971

## GENERAL NOTES:

- SEE FINISH LEGEND AND RCP'S FOR ADDITIONAL INFORMATION.
- CONTRACTOR TO VERIFY ALL APPROPRIATE INSTALLATION & CONSTRUCTION DETAILS & ABILITY TO INSTALL PER DESIGN INTENT. PLEASE VERIFY ANY QUESTIONS AND/OR DISCREPANCIES WITH DESIGNER PRIOR TO CONSTRUCTION OR OMISSIONS.
- UNO THE SUBSTRATE FOR ANY PAINT IS GWB.
- CONSULT WITH ARCHITECT REGARDING ANY DISCREPANCIES OR OMISSIONS.
- ALL GYP SOFFITS AND CEILINGS ARE TO BE PAINTED PT-01 U.N.O. RE: RCP ENLARGED PLANS FOR ACCENT COLOR AND EXTENTS.
- IN THE EVENT OF UNCLEAR OR CONFLICTING INFORMATION, ARCHITECT SHALL BE CONTACTED FOR CLARIFICATION.
- ALL EXISTING WALL SURFACE EXISTING TO REMAIN SHALL BE SCRAPPED, SPACKLED, PATCHED, CLEANED OR OTHERWISE PREPARED TO RECEIVE NEW PAINT WITHOUT NOTICEABLE IMPERFECTION.
- U.O.N. PAINT METAL DOORS AND DOOR FRAMES PT-04, RE: FINISH PLANS AND ELEVATIONS FOR ANY DOORS RECEIVING ACCENT PAINT COLORS.
- BUILDING TO REMAIN OPEN AND OPERATIONAL DURING CONSTRUCTION. SEE PHASING PLANS FOR DETAILS.
- EXTEND FLOOR FINISHES UNDER MILLWORK & INTO RECESSES.
- CARPET INSTALLATION SHALL COMPLY WITH THE WORKMANSHIP GUIDELINES AS PUBLISHED BY THE AMERICAN CARPET INSTITUTES LATEST EDITION AND SHALL BE IN STRICT ACCORDANCE WITH THE MANUFACTURER'S RECOMMENDATIONS, PROVIDING AN ATTRACTIVE, WRINKLE-FREE APPEARANCE. CARPET SEAMS SHALL BE BUTT MATCHED RUNNING IN THE SAME DIRECTION.
- PROVIDE FLASH-PATCH FLOOR IN ALL AREAS WHERE FLOOR IS NOT LEVEL OR TRUE PRIOR TO FLOORING INSTALLATION OF NEW MATERIALS.
- GENERAL CONTRACTOR TO SCRAPE EXISTING FLOOR SLAB FREE OF SCREWS, ADHESIVE & OTHER MISCELLANEOUS MATERIALS FOR SMOOTH, EVEN FINISH.
- FLOORING TRANSITIONS AT CENTER OF DOOR OPENINGS. RE: INTERIOR DETAILS SHEET, A-901, VERIFY ALL LOCATIONS ON SITE.
- UNLESS OTHERWISE NOTED PAINT WOOD BASE PT-04.
- UNLESS OTHERWISE NOTED PAINT WALLS TYPICAL FIELD PT-06.
- COORDINATE WALL PROTECTION PANEL SEAM LOCATIONS IN FIELD.
- CONFIRM CORNER GUARD LOCATIONS AND QUANTITIES IN FIELD.
- GENERAL CONTRACTOR IS RESPONSIBLE FOR THE MOVING OF FURNITURE, EQUIPMENT, AND SHELVING FROM AREAS RECEIVING NEW FLOOR FINISHES. ALL MOVED ITEMS ARE TO BE STORED ON SITE AND RETURNED TO ORIGINAL LOCATIONS AFTER INSTALLATION OF NEW FLOORING.

## FLOORING LEGEND



FLOOR FINISH TRANSITION

PATTERN OR GRAIN  
DIRECTION OF FLOORING

OUTLINE OF BUILDING  
FOOTPRINT ABOVE

## INTERIOR ELEVATION LEGEND

NEW ELEMENTS

## WALL FINISH LEGEND


HATCH INDICATES PAINT  
SCOPE OF WALL OR  
CEILINGS, VARIES FLOOR TO  
FLOOR

PAINT / WALL FINISH


## LEGEND: REFLECTED CEILING PLAN

EXISTING GWB CEILING TO REMAIN


SHEET NOTES	
NOTE	DESCRIPTION
S19	PAINT AREA OF CEILING SOFFIT FACE AND SOFFIT SIDES ACCENT PAINT COLOR. ALL OTHER AREAS OF GYP CEILING TO BE PAINTED PT-01 EXSITING CEILING WHITE
S20	NEW WALL PROTECTION, WALL BASE, AND PAINT
S23	PAINT DOOR FRAME AND DOOR ACCENT PAINT RE: FINISH PLANS AND ELEVATIONS
S24	RE: ENLARGED FINISH PLANS AND A-600 FOR STAIR PAINT LOCATIONS AT STAFF STAIR WELL
S25	AT THE STAIR CORE PAINT RAILING, HANDRAIL, STAIR STRINGER, FRONT FACE OF RISER AND BACK FACE OF RISER RE-FINISH PLANS AND ELEVATIONS
S29	APPLIED VINYL GRAPHIC-PLOT CUT VINYL, RE: A-600 SHEETS
S32	PAINT ELEVATOR DOOR AND DOOR FRAME ACCENT PAINT COLOR




8 LEVEL 07 WEST CORE ENLARGED RCP PLAN  
1/4" = 1'-0"




7 CORE 716 - SOUTH ELEVATION  
1/4" = 1'-0"



6 CORE 716 - NORTH ELEVATION  
1/4" = 1'-0"




4 L07 ELEVATOR LOBBY - WEST WALL  
1/4" = 1'-0"




3 L07 ELEVATOR LOBBY - ALCOVE EAST WALL  
1/4" = 1'-0"

## LEVEL 07 - PUBLIC ELEVATOR LOBBY

1/4" = 1'-0"




2 L07 ELEVATOR LOBBY - EAST WALL OPENING  
1/4" = 1'-0"



1 LEVEL 07 - WEST CORE ENLARGED PLAN  
1/4" = 1'-0"



FOR PRICING ONLY Overview - Level B2 corridor door signs




FOR PRICING ONLY Signs C1-C10 and D1-D6




Design intent is to create a wedge-shaped sign mounted above doorways, with viewports (covered by transparent acrylic) so that the Library can print labels and insert/remove them as needed. Design team is open to suggestions regarding specific execution of this sign. Sign types C and D differ in dimensions, but have the same design intent.


Sign type C - Plan view



Sign type D - Plan view



Typical sign height - elevation view




Not to scale with other drawings

Denver Public Library Central Library: Interior Enhancement Projects 2024-01-19


studiotrope  
design collective

FOR PRICING ONLY Walls A1-A7 ("unrolled" continuous view)



Scale: 1" = 4'-0"  
Dimensions: 32'-0" x 3'-0"  
Material: 3M IJ180 Printed Vinyl (CMYK printing), 3M 8518 Laminate

FOR PRICING ONLY Walls B1-B8 ("unrolled" continuous view)





Scale: 1" = 4'-0"  
Dimensions: Left narrow stripe: 20'-10" x 0'-4.5"  
Text: 9" letter height (bounding box is 1'-1" x 0'-9")  
Right narrow stripe: 5'-7" x 0'-4.5"  
Material: 3M IJ180 Printed Vinyl (CMYK printing), 3M 8518 Laminate

For 8 qty of floors, assume that each floor receives different color schemes and text content, while overall design and dimensions remain the same

Denver Public Library Central Library: Interior Enhancement Projects 2024-01-19

studiotrope  
design collective


FOR PRICING ONLY Overview - Staff Core (assume typical per floor)



View from Center Core, looking west



View from Center Core, looking north



View from Elevator Lobby, looking east

Denver Public Library Central Library: Interior Enhancement Projects 2024-01-19

studiotrope  
design collective



4  
A-602  
STAIRWELL - NORTH ELEVATION  
1/8" = 1'-0"

3  
A-602  
STAIRWELL - WEST ELEVATION  
1/8" = 1'-0"


2  
A-602  
STAIRWELL - SOUTH ELEVATION  
1/8" = 1'-0"

1  
A-602  
STAIRWELL - EAST ELEVATION  
1/8" = 1'-0"

ASSUME 8 (EIGHT) UNIQUE PAINT COLORS.  
SPECIFIC PAINT COLORS TO BE CHOSEN AT A LATER DATE.



### FOR PRICING ONLY Sign 3C



5'-6" tall

Scale: 1/4" = 1'-0"

Dimensions: Total square footage of install area = 46.5 sqft


Material: 3M "Dusted Crystal" 7725-314, plotcut

Installation: First surface

5  
A-922  
1/4" = 1'-0"

POD - GLASS ELEVATION

### FOR PRICING ONLY Sign 3D



5'-6" tall

Scale: 1/4" = 1'-0"

Dimensions: Total square footage of install area = 47.5 sqft

Material: 3M "Dusted Crystal" 7725-314, plotcut

Installation: First surface


3  
A-922  
1/4" = 1'-0"

POD - GLASS ENTRANCE ELEVATION

Denver Public Library Central Library: Interior Enhancement Projects 2024-01-19

studiotrope  
design collective

### FOR PRICING ONLY Sign 3A



5'-6" tall

Scale: 1/4" = 1'-0"


Dimensions: 9'-2" x 5'-9"

Material: 3M IJ180 Printed Vinyl (CMYK printing), 3M 8518 Laminate  
(monolithic application, i.e. NOT plotcut)

6  
A-922  
1/4" = 1'-0"

POD - SOLID WALL ELEVATION

### FOR PRICING ONLY Sign 3B



5'-6" tall

Scale: 1/4" = 1'-0"

Dimensions: 9'-2" x 5'-9"

Material: 3M IJ180 Printed Vinyl (CMYK printing), 3M 8518 Laminate  
(monolithic application, i.e. NOT plotcut)

4  
A-922  
1/4" = 1'-0"


POD - SOLID WALL ELEVATION

**ALTERNATE:** A complete graphic wrap of the entire solid wall surface of the Pod. See detailed dimensions provided by Framery (manufacturer) at the end of this document.

Denver Public Library Central Library: Interior Enhancement Projects 2024-01-19

studiotrope  
design collective

### FOR PRICING ONLY Sign 1



5'-6" tall

Scale: 1/4" = 1'-0"

Dimensions: Total square footage of install area = 135.67 sqft  
(Door windows = 10.67 sqft each; Large windows = 31.0 sqft and 83.33 sqft)


Material: 3M "Dusted Crystal" 7725-314, plotcut

Installation: First surface

3  
A-633  
1/4" = 1'-0"

INDIVIDUAL STUDY 253 & GROUP STUDY - 254

### FOR PRICING ONLY Sign 2



5'-6" tall

Scale: 1/4" = 1'-0"

Dimensions: Total square footage of install area = 94.0 sqft  
(Door window = 10.67 sqft; Large window = 83.33 sqft)

Material: 3M "Dusted Crystal" 7725-314, plotcut

Installation: First surface


8  
A-922  
1/4" = 1'-0"

GROUP STUDY - 255

Denver Public Library Central Library: Interior Enhancement Projects 2024-01-19

studiotrope  
design collective

### FOR PRICING ONLY Overview - Teen's





1  
A-922  
LEVEL 02 - TEENS' ENLARGED PLAN

Denver Public Library Central Library: Interior Enhancement Projects 2024-01-19

studiotrope  
design collective







OWNER  
City and County of Denver  
Department of Public Works  
201 W Colfax Ave., Denver, CO 80202

ARCHITECT / INTERIOR DESIGN  
studiotrope design collective  
3301 Arapahoe St., Denver, CO 80202  
303.308.1144

CIVIL ENGINEER  
Elevation Consulting  
8315 W 4th Ave, Lakewood, CO 80226  
303.813.3545

LANDSCAPE ARCHITECT  
Mundus Bishop  
1525 Raleigh St #310, Denver, CO 80204  
303.477.5244

STRUCTURAL ENGINEER  
AECOM  
717 17th St #1650, Denver, CO 80202  
303.228.3000  
Integral Engineering  
6295 E Peakview Pl, Centennial, CO 80111  
303.804.7003

MEP ENGINEER  
AECOM  
717 17th St #1650, Denver, CO 80202  
303.228.3000  
RJA  
2590 Walnut St., Denver, CO 80205  
720.598.0774

FIRE PROTECTION  
AECOM  
717 17th St #1650, Denver, CO 80202  
303.228.3000

SUSTAINABILITY  
Ambient Energy  
1449 7th St suite 440, Denver, CO 80204  
303.276.1602

LOW VOLTAGE / ACOUSTICAL /  
SECURITY  
K2 Audio  
5777 Central Ave #225, Boulder, CO 80301  
303.865.5500

ADA CONSULTANT  
Meeting the Challenge  
3630 Sinton Road, Suite 103  
Colorado Springs, CO 80907  
719.444.0252

ELEVATOR CONSULTANT  
Lerch Bates  
9780 S Meridian Blvd Suite 450  
Englewood, CO 80112  
303.795.7956

LIBRARY CONSULTANTS  
Radix Design

Cornelius (Kin) Dubois  
Michael Murphy

PERMIT EXPEDITER  
Service 1st Permits  
331 14th St., Suite 200  
Denver, CO 80202  
720.498.7111

PROJECT: DENVER CENTRAL  
LIBRARY  
EXTERIOR IMPROVEMENTS  
BID PACKAGE  
10 West 14th Ave, Pkwy  
Denver, CO 80204

PROJECT NO: 2306A

ISSUE DATE: 01/31/2024

PHASE / REV NAME: BID DOCUMENTS

1


## FOR PRICING ONLY Community Service Vinyl



2  
A-633  
COMMUNITY SERVICE - SOUTH ELEVATION  
1/4" = 1'-0"

Scale: 1/4" = 1'-0"  
Dimensions: Total square footage of install area = 93.5 sqft  
Material: 3M "Dusted Crystal" 7725-314, plotcut  
Installation: Second surface

## FOR PRICING ONLY Book Store Vinyl



1  
A-633  
BOOK STORE - EAST ELEVATION  
1/4" = 1'-0"

Scale: 1/4" = 1'-0"  
Dimensions: Total square footage of install area = 121.66 sqft  
Material: 3M "Dusted Crystal" 7725-314, plotcut  
Installation: Second surface