

## LED Fixture Tolerance

### Bento Fixture



Bento Square 4x2



## LED Fixture Tolerance



- The horizontal measurements should be against the trim.
- Using a digital level the horizontal measurements must be within  $0.20^\circ$  of  $0.00^\circ$
- Using a digital level the vertical measurements must be within  $0.20^\circ$  of  $90.00^\circ$
- Using a digital level the plumb measurements must be within  $0.20^\circ$  of  $90.00^\circ$

## LED Fixture Tolerance

### 6x4 Backwall



### 6x4 Backwall Square



## LED Fixture Tolerance



- The horizontal measurements should be against the trim.
- Using a digital level the horizontal measurements must be within  $0.15^\circ$  of  $0.00^\circ$
- Using a digital level the vertical measurements must be within  $0.15^\circ$  of  $90.00^\circ$
- Using a digital level the plumb measurements must be within  $0.20^\circ$  of  $90.00^\circ$

## LED Fixture Tolerance



- The horizontal measurements should be against the trim.
- Using a digital level the horizontal measurements must be within  $0.15^\circ$  of  $0.00^\circ$
- Using a digital level the vertical measurements must be within  $0.15^\circ$  of  $90.00^\circ$
- No Plumb measurements needed for the cloud.
- We can install the LED Level with the fixture so when the fixture is adjusted the LED will be correct.